DIAMOND TOOLS FOR FLOOR MACHINES





Up to 20,000 SqFt of Production Per Set! (Depending on the closeness of the match between the concrete, bond type, and grit)

L

1

DIACRETE© TOOLING BY

Segment Type	Bonds	Grits	Unit Price
Double Bar Aggressiv Formatio Cuts Fast, Leave More Scratche	e Soft n Medium s Hard		\$22 \$17
Segment Type	Bonds	Grits	Unit Price
Double Round Best For Preppin Polishing Project Leave Less Scratches	_g Soft s Medium s Hard	16/18 30/40 60/80 120/150	\$25 \$22
PCD Type	Use For	Life Span	Unit Price
DCT Diacrete Combo Tool	General Coatings Removal	10,000 to 11,000 SqFt	\$29 Both Directions
<mark>Barracuda</mark> Dual Full PCD	Heavy Duty Coatings Removal	10,000 to 11,000 SqFt	\$55 Both Directions



Ľ,








LAVINA FAST-CHANGE

Segment Type	Bonds	Grits	Unit Price
*Double Bar	Extra-Soft	16/18	\$27
Aggressive	Soft	30/40	\$ 24
Cuts Fast, Leaves	Medium	60/80	ψ24
More Scratches	Hard	120/150	
		120/100	
Segment Type	Bonds	Grits	Unit Price
*Double Round	Extra-Soft	16/18	\$30
Best For Prepping	Soft	30/40	\$ 27
Polishing Projects	Medium	60/80	ΨΖΙ
Slower Cut Leaves Less Scratches	Hard	120/150	
Segment Type	Bonds	Grits	Unit Price
<u> </u>	Bonds Extra-Soft	Grits 16/18	Unit Price \$29
*Double Arrow			\$29
*Double Arrow Aggressive Ok for Coatings	Extra-Soft Soft Medium	16/18 30/40	
*Double Arrow Aggressive Ok for Coatings Removal, Leaves	Extra-Soft Soft	16/18 30/40 60/80	\$29
*Double Arrow Aggressive Ok for Coatings	Extra-Soft Soft Medium	16/18 30/40	\$29
*Double Arrow Aggressive Ok for Coatings Removal, Leaves	Extra-Soft Soft Medium	16/18 30/40 60/80	\$29
*Double Arrow Aggressive Ok for Coatings Removal, Leaves	Extra-Soft Soft Medium	16/18 30/40 60/80	\$29
*Double Arrow Aggressive Ok for Coatings Removal, Leaves More Scratches	Extra-Soft Soft Medium Hard	16/18 30/40 60/80 120/150	\$29 \$26
*Double Arrow Aggressive Ok for Coatings Removal, Leaves More Scratches PCD Type	Extra-Soft Soft Medium	16/18 30/40 60/80 120/150 Life Span	\$29 \$26
*Double Arrow Aggressive Ok for Coatings Removal, Leaves More Scratches PCD Type *Triple ½	Extra-Soft Soft Medium Hard Use For Coatings	16/18 30/40 60/80 120/150 Life Span 11,000 to	\$29 \$26 Unit Price
*Double Arrow Aggressive Ok for Coatings Removal, Leaves More Scratches PCD Type	Extra-Soft Soft Medium Hard Use For	16/18 30/40 60/80 120/150 Life Span 11,000 to 15,000	\$29 \$26
*Double Arrow Aggressive Ok for Coatings Removal, Leaves More Scratches PCD Type *Triple ½	Extra-Soft Soft Medium Hard Use For Coatings	16/18 30/40 60/80 120/150 Life Span 11,000 to	\$29 \$26 Unit Price \$70
*Double Arrow Aggressive Ok for Coatings Removal, Leaves More Scratches PCD Type *Triple ½ PCD Segments	Extra-Soft Soft Medium Hard Use For Coatings Removal	16/18 30/40 60/80 120/150 Life Span 11,000 to 15,000 SqFt	\$29 \$26 Unit Price \$70 Both Directions

Up to 20,000 SqFt of Production Per Set! (Depending on the closeness of the match between the concrete, bond type, and grit)



HTC EZ TOOLING




* Made to Order Only – 3 Weeks To Ship

Up to 20,000 SqFt of Production Per Set! (Depending on the closeness of the match between the concrete, bond type, and grit)




HUSQVARNA TOOLING



Up to 20,000 SqFt of Production Per Set! (Depending on the closeness of the match between the concrete, bond type, and grit)





Up to 12,000 SqFt of Production Per Set! (Depending on the closeness of the match between the concrete, bond type, and grit)




MASTERCRAFT

Segment Type	Bonds	Grits	Unit Price
*Double Bar Aggressive Cuts Fast, Leaves More Scratches	Extra-Soft Soft Medium Hard	16/18 30/40 60/80 120/150	\$28 \$25
Segment Type *Double Round Best For Prepping Polishing Projects Slower Cut Leaves Less Scratches	Bonds Extra-Soft Soft Medium Hard	Grits 16/18 30/40 60/80 120/150	Unit Price \$31 \$28
Segment Type	Use		Unit Price
*Piranha: ¼ PCD w/ Sacrificial Bar Segment	General Coatings Removal	11,000 to 15,000 SqFt	\$59 Both Directions
*Made to Order C	Jnly – 3 We	eeks To Sl	nip

Up to 20,000 SqFt of Production Per Set! (Depending on the closeness of the match between the concrete, bond type, and grit) Fits the MasterCraft Fast-Change plates!








GRINDING DISCS -TERRCO AND AZTEC

Up to 20,000 SqFt of Production Per Set! (Depending on the closeness of the match between the concrete, bond type, and grit) Fits the Aztec, Terrco And Avenger machines!



2"DIAMOND PLUGS

о т. I	n .	n	
Segment Type	Bonds	Grits	Unit Price
*Bar	Soft Medium	16/18	\$55
Aggressive Cuts Fast, Leaves	Hard	30/40 60/80	\$ 48
More Scratches			
		120/150	
Segment Type	Bonds	Grits	Unit Price
*Solid	Soft	16/18	\$55
Best For Prepping	Medium	30/40	\$ 48
Polishing Projects Leaves	Hard	60/80	• • • •
Less Scratches		120/150	
Segment Type	Bonds	Grits	Unit Price
	Bonds Soft	Grits 16/18	Unit Price \$55
*Arrow Aggressive	Soft Medium		\$55
 *Arrow Aggressive Ok for Coatings	Soft	16/18	
 *Arrow Aggressive Ok for Coatings Removal, Leaves	Soft Medium	16/18 30/40	\$55
 *Arrow Aggressive Ok for Coatings	Soft Medium	16/18 30/40 60/80	\$55
 *Arrow Aggressive Ok for Coatings Removal, Leaves More Scratches	Soft Medium Hard	16/18 30/40 60/80 120/150	\$55 \$48
*Arrow Aggressive Ok for Coatings Removal, Leaves	Soft Medium Hard Bonds	16/18 30/40 60/80 120/150 Grits	\$55 \$48 Unit Price
*Arrow Aggressive Ok for Coatings Removal, Leaves More Scratches	Soft Medium Hard Bonds Soft	16/18 30/40 60/80 120/150 Grits 16/18	\$55 \$48
 *Arrow Aggressive Ok for Coatings Removal, Leaves More Scratches Segment Type *Beveled Edge	Soft Medium Hard Bonds Soft Medium	16/18 30/40 60/80 120/150 Grits	\$55 \$48 Unit Price \$58
 *Arrow Aggressive Ok for Coatings Removal, Leaves More Scratches Segment Type	Soft Medium Hard Bonds Soft	16/18 30/40 60/80 120/150 Grits 16/18	\$55 \$48 Unit Price
 *Arrow Aggressive Ok for Coatings Removal, Leaves More Scratches Segment Type *Beveled Edge	Soft Medium Hard Bonds Soft Medium	16/18 30/40 60/80 120/150 Grits 16/18 30/40	\$55 \$48 Unit Price \$58

*Made to Order Only – 3 Weeks To Ship







DIACRETE POLISHING

PREMIUM LINE

These thick, resin-bonded, floor pads last up to 4500 SqFt per set depending on the surface and grit in use!

Attributes	Use With	Grits	Unit Price
3" Inch Diameter 12mm Thickness Use Dry (Dr Wet) Velcro-Mounted High Gloss Long-Lasting	Concrete Terrazo Limestone	50 100 200 400 800 1500 3000	\$15

Ultra Line

These hybrid pads are made with a hardened, semimetal resin bond making them excellent transitional tools for removing scratches left by metal-bonded tooling. A set can last up to 20000 SqFt depending on the step.

Attributes	Use With	Grits	Unit Price
3" Inch Diameter 12mm Thickness Use Dry (Or Wet) Velcro-Mounted Semi-Metal Very Long-Lasting	Concrete Terrazo Limestone	50 100 200 400 800	\$18





HAND GRINDERS, TOOLS, & ACCESSORIES



LEVETEC L-1200 VS HAND GRINDER




This tool was specifically designed for concrete grinding and polishing corners and edges. As a rule of thumb, concrete and natural stone floors are best ground at a low speed which allows for the best cut on the surface without any bouncing or diamonds going to waste. Most regular hand grinders run at 1000 rpm or more, and most variable speed hand grinders run between 1000 to 3000 rpm. These are way too fast and even when set to the lowest speed, the tooling has no power when pressure is applied on the grinding head. In order to combat this issue, we preconfigured the L-1200's speed to be variable from 360 to 1200 rpm so that the tooling actually catches and performs well! No more flying pads!

<u>Kit Includes:</u> Your choice of 5 Inch or 7 Inch Dust Shroud, an 18-Inch Flex Hose, Fittings, Universal Adapter, Hand Grinder Unit. (Accessories by Dustless Technologies)

METAL DOT PADS

When a cup wheel is too aggressive for the job, step down to a metal dot diamond pad and stay efficient while minimizing the risk of over cutting or over scratching on more delicate floors.




DIACRETE Polishing Pads For Hand Grinders

Attributes	Use With	Grits	Unit Price
Width: Sin For Dry (or Wet) Long-Lasting Smm Thickness	Concrete And Engineered Stone	50 100 200 400 800 1500	\$15

Up to 3000 SqFt of Production Per Pad!

(Depending on the closeness of the match between the concrete, and grit)

Attributes	Use With	Grits	Unit Price
Width: <mark>7in</mark>	Concrete	50	\$25
For Dry	And	100	ΨΖΟ
(or Wet)	Engineered	200	
Long-Lasting	Stone	400	
5mm Thickness		800	
		1500	
		3000	



DIACRETE© CUPWHEELS BY

Our premium Turbo Cup Wheels allow the user to quickly and aggressively grind down a concrete surface. With large pores in the metal body, our tools run cooler while grinding and with Smm thick segments, they truly offer optimum performance. These will last reliably from 4000 to 7000 SqFt!

Attributes	Bonds	Grits	Unit Price
Width: <mark>7in</mark>	Soft or	16	\$70
Turbo Bar 12 Segments	Medium	30	\$60

Fan Type Segments offer very even coverage when grinding. They yield high cutting efficiency and are ideal for aggressive surface preparation. Similarly to the turbos, we design them with large air holes for improved cooling and dust evacuation.

Attributes	Bonds	Grits	Unit Price
Width: <mark>7in</mark>	Soft or	16	\$135
Fan Style 18 Segments	Medium	30	\$115

The more segments a cup wheel has, the less the distance between the segments becomes, and the less aggressive it cuts. This allows more control to be retained by the user. Mistakes are less likely to happen with more segments!

Attributes	Bonds	Grits	Unit Price
Width: 7in	Soft or	16	\$120
Turbo Style 24 Segments	Medium	30	\$95

LEVETEC





