



SURFACE PREPARATION SOLUTIONS

2018 PRODUCT CATALOG



WWW.LEVETEC.COM

CATALOG INDEX

About Levetec	4
Terms and Conditions	6
Leasing Information	9
Why Choose An Avenger?.....	10
Avenger Series Grinder/Polishers	14
Propane Options For Grinder/Polishers.....	21
Diamond Tools for Floor Machines.....	29
Grinding & Coatings Removal	30
Diacrete©Tooling.....	30
SASE Tooling.....	31
Lavina Fast-Change	32
HTC Tooling	33
Husqvarna Tooling	34
ScanMaskin Classic.....	35
MasterCraft.....	37
Grinding Discs -	38
2”Diamond Plugs.....	39
Custom Bush Hammers.....	40
Diacrete Polishing	41
THE PREMIUMS.....	41
THE ULTRAS.....	41
Hand Grinders, Tools, & Accessories	42
Levetec L-1200 VS Hand Grinder	43
Variable Speed Oscillating Corner Tool.....	44
Pads For Hand Tools.....	45
Elite Corner Pads.....	45
Electroplato’s	45
7” Metal Dot Pads	46
5” Metal Dot Pads	47

Diacrete Premium Polishing Pads For Hand Grinders.....	48
Diacrete© Cupwheels.....	49
All Accessories.....	52
Backer Pads.....	53
Adapters Etc.	54
Adapter Plates.....	57
Avenger Items	58
Safety on the Job.....	59
Hardness Testing.....	60
Floor Maintenance & Specialty Stone Care	61
Spinor© Maintenance Pads.....	62
Avenger Buffer	65
Marble Care Pads.....	66
Vera Brilliare – Marble Polish Powder	67
HEPA Certified Dust Extractors	68
Pullman-Ermator.....	69
Nilfisk.....	- 78 -
Vacuum Filters and Accessories.....	- 82 -
Pullman-Ermator.....	- 83 -
Nilfisk.....	- 86 -
Perfect Business Packages	- 87 -
Densifiers, Colors, and Other Chemicals.....	- 95 -
Ameripolish® Color Chart.....	- 96 -
Featured Ameripolish® Products	- 97 -
Leve-Sil™ Premium Densifiers	- 98 -
Sodium Silicate.....	- 99 -
Lithium Silicate.....	- 100 -
Levetec’s Electrical Accessories	- 101 -
Power Cords.....	- 102 -
Transformers.....	- 103 -
Part Numbers Glossary	- 104 -

ABOUT LEVETEC

OUR MISSION

Levetec Surface Preparation Equipment, LLC is the manufacturer and distributor of the acclaimed Avenger Series of Concrete Grinder/Polisher Machines. We also produce our own quality diamond tools known as the Diacrete Brand in the stone and concrete market. As a company, we are determined to provide the very best diamond tooling and surface preparation equipment to allow the realization of our customers' optimum goals. We decided to produce our own machines with the goal in mind of reaching these high expectations. Designing and producing our own machines has enabled us to have control over RPM, speed and feed, relative pressure, the amount of resistance of bonds on the tools, and to implement many more user-friendly aspects, making surface prep much easier on the end user! Our customers are pleased with the results that we have helped them achieve. Nonetheless, we will always strive to develop new technologies in an effort to produce the most efficient machines possible.


OUR COMMITMENT

Levetec Surface Preparation Equipment, LLC is committed to providing the very best solutions to the industry's many challenges through the sale of ultra-durable, affordable, high production diamond tools and machines. Our customers have come to rely on the consistent quality and uncompromising performance which our products deliver time after time. Dealing in state-of-the-art technology and equipment is the name of our game. Customer satisfaction is essential to the success of any brand and it is the well-established core of our company. The employees of Levetec are pleased to assist our customers with any questions or concerns they may have. Their best efforts are always put forth to solve any problems in the most efficient and timely manner possible. Our dedication to customer satisfaction is evident in the pride we take in our people, our products, our customers, and our promise to always be helpful and reliable.

OUR STORY

The Avenger Series came into existence after years of dedication and hard work. Every aspect and feature of our machines is the product of the ingenuity and forward-thinking of our company's founder Wayne Wheller. He began his career by working for the giants of the industry such as Klindex, King Concepts, and Pullman-Ermator. He was the key figure in designing their early machines and guiding their

now-famous approaches to surface preparation. In many senses, he was a visionary. Wayne was constantly improving, always looking forward to the ever-rising demands of grinding and polishing. He seemed to always stay ahead of the trend in his work. His real pursuit was to introduce a new, practical yet revolutionary machine to the concrete world! And so, he took all of his original designs and successful modifications to the drawing board, called some of his most trusted contacts to see what could be done. After a few handshakes, Wayne began to develop a product that didn't rely on a heavy marketing budget, or a fancy body shape, to lure customers into paying inflated prices for a brand name. He wanted to build a machine whose traits would encompass all the advantages of the industry leading products and remove all of their disadvantages. Naturally, it took some time, but sure enough the first machines rolled out of our doors around late 2004. Thus, the Avenger series of concrete grinder/polishers was born. Now, big names like Caterpillar Inc and Johnson Controls are choosing Avenger machines for their toughest and most important surface preparation projects!



TERMS AND CONDITIONS

BUSINESS TERMS:

1. Hours of Operation:
Monday thru Friday, 7:00AM to 4:30PM (Pacific Standard Time, PST)
Saturday and Sunday, CLOSED
2. Orders placed with our staff by 2:00PM (PST) can be shipped out the same business day to our customers.
3. Our standard shipping method for items under 100lbs is UPS, but we have the ability to ship with most major carriers upon request.
4. For customers with international billing or shipping credentials, we require orders to be paid for in FULL via direct wire transfer only!
5. Payment is due in full prior to delivery of any order from Levetec.
6. Large Tooling or Machine Orders will be scheduled to ship only after full payment has been received by Levetec.
7. All shipments are to be considered FOB Seattle (Redmond), WA unless otherwise stated.
8. Levetec's pricing is subject to change due to cost increases and economic factors such as inflation. However, we strive to deliver the lowest possible cost to our customers in terms of purchase price and product performance. (Bang for Buck!)

DAMAGED SHIPMENTS

ATTENTION: All packages and crates are thoroughly inspected by our staff prior to sending them off. Great effort is made on our side to ensure that all shipments are damage proof before leaving our facility. Therefore, we declare that it is each customer's responsibility to carefully check all their shipments upon arrival to be absolutely sure that their goods are intact prior to accepting and signing the liability release form. In the event that any significant damage is discovered, the customer must get the driver to sign an acknowledgement of the observed damage, reject the delivery, mark it "return to sender", and contact us immediately! If the customer neglects to check the condition of their shipment for any reason and signs off on the release of liability, Levetec will NOT be held responsible for any of the damages.



OUR RETURN POLICY:

We stand behind the integrity and durability of our products; however, we ask that you contact a Levetec representative prior to sending back ANY purchases. Prompt communication will enable us to find a solution to most problems over the phone.

Levetec does NOT accept any returns **14 days** after the original purchase date listed on an invoice. This is not to be confused with the date that goods are received.

All returned items are subject to inspection to insure that the product has not been used or misused prior to processing and issuing a credit.

At our discretion, in the event that Levetec accepts a return after this 14 day period, we reserve the right to charge a 25% restocking fee to be incurred by the customer.

NOTE: Special/Custom items made specifically at a customer's request are non-refundable and nonreturnable. There are exceptions made only in the case of an apparent manufacturer's defect.

Please include a note with your company name, address, telephone number, and a brief description of problem with any returns sent back to us.

LEVETEC WARRANTY POLICY:

All New Avenger machines are guaranteed to be free of defects of materials and workmanship under normal use and under regular basic maintenance (i.e. oil change every 100 hours of work). The Levetec Warranty is active for a period of 24 months beginning from the date specified on the customer's invoice containing the machine in question as a line item.

Your original invoice is proof of your machine's warranty. Diamond tools have no long term warranties, but will be replaced or repaired if delivered in a defective state. The warranty is limited to replacement of parts only, no labor charges will be paid unless agreed too prior to sale. All machines will be repaired including parts and labor if deemed under warranty and returned to LEVETEC in Redmond, WA. USA This warranty does not apply if, in the judgement of LEVETEC, the product fails due to damage from shipment, handling, storage, accident, abuse, misuse or tampering, if it has been used or maintained in a manner not conforming to product manual instructions, has been modified in any way, or has had any serial number removed or defaced. Repair by anyone other than Levetec or an approved agent will void the warranty. The maximum liability of LEVETEC under this warranty is limited to replacement of the product covered by the warranty.



LIABILITY:

Except as specifically provided in this agreement or as required by law, the warranties and remedies stated above are exclusive and in lieu of all others, oral or written, express or implied. Any and all other warranties, including implied warranties of merchantability, fitness for a particular purpose and non-infringement of third party rights are expressly excluded. Levetec shall not under any circumstances be liable to any person for any special, incidental, indirect or consequential damages, including without limitation, damages resulting from use or malfunction of the products, loss of profits or revenues or costs of replacement goods, even if LEVETEC is informed in advance of the possibility of such damages.

Levetec Surface Preparation Machinery, LLC

7102 180th Ave NE, Suite A-107

Redmond, WA 98052 U.S.A.

Toll Free: 866.538.3832

Phone: 425.629.8200

Email: sales@levetec.com



LEASING INFORMATION

WHY LEASE? OR SHOULD WE SAY, "WHY NOT LEASE?"

- Less Impact on Cash Flow
- Tax Benefits (consult your CPA for advice)
- 100% Financing, including soft costs (shipping, installation, training)
- Conservation of Credit and Capital
- Reduced Paperwork, one page application and no financial statements are required for purchases under \$75K
- Options for Purchase or Renewal
- Reduced Interest Rate Risk
- Will not show up on your personal credit so it's not "exposed" to other lenders as a debt
- Secured by the equipment on the lease, not a blanket lien on your business or any other equipment that you own
- Quicker approvals and funding than a Bank
- No experience or time in business required – Great for startups
- Many different Programs available to suit your business' needs - including no payments for 90 days or only \$99 for the first few months so you can start making money off the equipment before you start paying on it! You can even set up lower payments during your slow season every year.
- Up to 60 months terms
- No prepayment penalty
- Ability to purchase equipment when you need it –Never having to turn down a job because you're not set up for it

APPLYING FOR A LEASE

Obtaining a lease is much easier than you think:

1. Contact a Levetec representative for a list of our approved financing partners and to obtain an easy ONE PAGE financing application.
2. A Financial Analyst will then help you to choose the financing option that best suits your company's needs.
3. Obtain approval, usually within 24 to 48 hours.
4. Then you're ready to select the equipment to be financed!

So don't hesitate, call us to get a list of our financing associates today to get approved quickly and be well on your way to increasing your business opportunities!


WHY CHOOSE AN AVENGER?



An Avenger Machine is about more than just a name; it represents a passion and commitment to excellence.

Every model is a true planetary grinder with all gear-driven, unique, counter-rotating heads. It features all-steel, hardened gears with power routed to each of the three grinding heads as well as the rotating drum. The gearbox housing is made with high precision CNC aluminum for superior cooling. Our gearbox is built much like the transmission in your car! With this design, our system offers the highest production rate in its class.

Interior of an Avenger's
Planetary Assembly



Avenger machines are built with the Magnetic Instant-Change tool mounting system. The system can mount scraper tools, standard M6 three-hole metal trapezoid tools, and Velcro-Mounted polishing tools. The Velcro adapters are included in the price of each machine and follow the same M6 three-hole pattern as our grinding pads so you never have to worry about fumbling about with many parts and trinkets to get your system to run properly. An Avenger is designed to make life is easier! To see exactly how easy it is, watch a video through the link below:

<http://www.levetec.com/Videos/Magnet%20Mount.mp4>



An Avenger will keep working and working without the need for frequent maintenance such as changing snapped belts or swapping dirty, spent grease. Every 500 to 1000 Hours of work, just pop the bottom oil seal, drain, fill the oil according to the specs in your manual for your particular model, pop the top seal back on, done. Low cost, low frequency, low hassle! Unless you regularly and deliberately crash your machine into steel rods in your floor, you won't need to worry about any serious maintenance for years!

Avengers utilize powerful, versatile three-phase motors which enable the use of variable speed functions and forward/reverse action. In general, Three-Phase Motors are incredibly durable for several reasons. They have no starting windings which are known to run at very high temperatures. They have no capacitors, no switches, and no brushes either. The absence of these single phase components simplifies the function of the motor so that the only parts that really get worn down over time are the two bearings on either end of the shaft. This results in decades of motor life span!

The Motor Control Unit on all Avenger machines is a NEMA 4X Variable Frequency Drive, IP 66 rated for harsh environments where water and dust protection are mandatory. With our US-Made controls, you get maximum cooling because the heat sinks are always exposed to open air, allowing the temperature to radiate away quicker as opposed to being sealed in a cabinet as seen on all other grinders. Only the vital and sensitive components are sealed in the NEMA 4X housing so that there is no possible way for dust or water to seep into the electronics cavity. This means that our machines are vastly more reliable than the regular single-phase machines from leading competitive sources.



With all American-Made Controls, the action is in your hands the whole time! Every function you will need in surface preparation is ready at your fingertips when you stand behind an Avenger. Remove coatings, grind, and polish with just one machine!


The Avenger design focuses on concentrating a majority of the weight of the machine where it matters; the grinding head. In addition to being efficient, these machines are maneuverable and relatively compact for their exceptional power. Each model features a ratcheting handle so you can instantly adjust them to be more comfortable, to tip the machine over, or just to store the handle out of the way. Just one squeeze of the lever and move it to whichever position you'd prefer.



220V power is common but it is not available ALL the time! For those cases we have a low cost, practical and easy-to-use solution called the Levetec Voltage Cleaver! It allows you to combine two 110V sources on separate breakers to combine into a 220V, Single-Phase, 20 Amp outlet so you can get the right power for the right job ALL the time! Wayne's confidence and engineering ability is embodied by the Levetec Warranty. Unlike the industry leaders who offer a typical partial warranty to cover only parts they know will last the longest, we believe in the quality and durability of our product and we stand behind it. Every Avenger machine is backed by a 2-Year, FULL "bumper-to-bumper" warranty so you don't have to worry about down time and breaking the bank. Whether it's the lifetime FREE tech support or just job-specific guidance, we are always there for our customers!



AVENGER SERIES GRINDER/POLISHERS



AVENGER 460

The Avenger 460 is an ideal machine for smaller jobs such as homes, offices, and hotel rooms. The 460 is very versatile and can be used for coatings removal, grinding, and polishing. It is a 220 Volt, Single Phase Input machine with a powerful, very durable three-phase motor on-board. The 460's compact design and weight allow the user to enjoy maneuverability and easy transportation to and from the jobsite. Thus, this machine is very easy to carry up to a mezzanine, landing, or even down into a basement.



AVERAGE GRINDING PRODUCTION RATES PER DAY

Marble: 800 - 1100 ft²
Terrazzo: 1600 - 2100 ft²
Granite: 540 - 650 ft²
Concrete: 2750 - 3750 ft²
Glue Removal: 1200 - 1600 ft²
Paint Removal: 1700 - 3900 ft²

*Production rates may vary according to surface conditions, diamonds used, equipment operator, etc.

SPECIFICATIONS

Motor	Three-Phase 5.5 HP AC Motor
Voltage	220V Single Phase Input
Weight	370 lbs (Up to two 68 lb weights can be added)
Working Width	19" (Inches)
Variable Speeds	300 to 1200 RPM (On the Grinding Head)
Water Tank	6.6 Gallons
Abrasive Plates	8" Magnetic Plates x 3 Spinning Heads on a Counter-Rotating Drum



Diamond Tooling

9 x Standard M6, Three-Hole, Threaded, Trapezoid Pads for Grinding. These snap into the Magnetic Plates.

9 x Velcro-Backed, 3in, Round, Plated, Aluminum Adapters w/ M6 fittings to snap into magnetic plates (Adapters included in price)

[Mounting Plates are compatible with Redi-Lock Tools]

Price: \$ 7295

AVENGER 550

The Avenger 550 is the perfect mid-size machine with a huge capacity. It is a little larger than the 460 with much more horsepower. This unit has a 220V single phase power input and can be used in a home, apartment, hotel, or small business location such as a convenience store. Just plug it into a stove or dryer outlet and you're good to go! The only thing that will ever get in the way buying an odd plug here and there! This is the ultimate machine for a flooring company operating as a one-man show.



AVERAGE GRINDING PRODUCTION RATES PER DAY

Marble: 900 - 1200 ft²
Terrazzo: 1700 - 2200 ft²
Granite: 400 - 520 ft²
Concrete: 3000 - 4000 ft²
Glue Removal: 1200 - 2400 ft²
Paint Removal: 1900 - 3900 ft²

*Production rates may vary according to surface conditions, diamonds used, equipment operator, etc.

SPECIFICATIONS


Motor	Three-Phase 7.5 HP AC Motor
Voltage	220V Single Phase Input
Weight	465 lbs (Up to two 68 lb weights can be added)
Working Width	22" (Inches)
Variable Speeds	300 to 1200 RPM (On the Grinding Head)
Water Tank	6.6 Gallons

Abrasive Plates	9" Magnetic Plates x 3 Spinning Heads on a Counter-Rotating Drum
-----------------	--

Tooling	9 x Standard M6, Three-Hole, Threaded, Trapezoid Pads for Grinding. These snap into the Magnetic Plates.
---------	--

9 x Velcro-Backed, 3in, Round, Plated, Aluminum Adapters w/ M6 fittings to snap into magnetic plates (Adapters included in price)

[Mounting Plates are compatible with Redi-Lock Tools]



Price: \$ 8995

AVENGER 650


The Avenger 650 is the largest, highly versatile, most powerful, 220V Single-Phase Input machine in its class! The next level of production capacity can only be achieved by moving to a bigger motor, weight, and voltage which will pose another set of challenges to overcome. The 650 is ideal for almost any job, whether you're doing something as small as a few rooms or 7000 square foot warehouse, this machine can be wheeled in to most places and will plug into any stove or dryer outlet without special accommodations. You can remove any coatings, grind, and polish with this multipurpose juggernaut! This is the best-selling machine in our line!



AVERAGE GRINDING PRODUCTION RATES PER DAY

Marble: 1000 - 1300 ft²
Terrazzo: 1900 - 2400 ft²
Granite: 520 - 640 ft²
Concrete: 4000 - 5000 ft²
Glue Removal: 1400 - 2600 ft²
Paint Removal: 2100 - 4100 ft²

*Production rates may vary according to surface conditions, diamonds used, equipment operator, etc.



SPECIFICATIONS

Motor	Three-Phase 10 HP AC Motor
Voltage	220V Single Phase Input (480V Available)
Weight	570 lbs (Up to two 97 lb weights can be added)
Working Width	25" (Inches)
Variable Speeds	300 to 1200 RPM (On the Grinding Head)
Water Tank	6.6 Gallons

Abrasive Plates

7-7/8" Magnetic Plates x 3 Spinning Heads on a Counter-Rotating Drum

Tooling

9 x Standard M6, Three-Hole, Threaded, Trapezoid Pads for Grinding. These snap into the Magnetic Plates.
 9 x Velcro-Backed, 3in, Round, Plated, Aluminum Adapters w/ M6 fittings to snap into magnetic plates (Adapters included in price)

[Mounting Plates are compatible with Redi-Lock Tools]

Price: \$ 11995

AVENGER 750

The Avenger 750 is a very powerful machine built to deliver a lot of torque to your floors. This allows for heavy grinds necessary for removing the toughest epoxy coatings and hardened industrial adhesives. The 750 is highly productive machine but quite easy to handle and operate despite its size and substantial weight. This machine is perfect for larger jobs above 10,000 Sq. Ft. The 750 is built as a 480V Three-Phase machine. However, on jobsites where that kind of power source is simply unavailable, the Levetec PortaFormer (\$2000) would trail behind you in the same way as your dust extractor system would follow! This gadget is essentially a portable transformer on wheels which takes 220V Three-Phase Power input and converts it to 480 Three-Phase so you can run the 750 at full force without any pesky "brown-outs"! All you'd need is an extra thick cord to accompany your set-up and you've eliminated the need for a direct 480V power source!




AVERAGE GRINDING PRODUCTION RATES PER DAY

Marble: 1150 - 1500 ft²
 Terrazzo: 2150 - 2650 ft²
 Granite: 650 - 770 ft²
 Concrete: 5250 - 6250 ft²
 Glue Removal: 1650 - 2900 ft²
 Paint Removal: 2300 - 4600 ft²

*Production rates may vary according to surface conditions, diamonds used, equipment operator, etc.

SPECIFICATIONS

Motor	Three-Phase 15 HP IEC Motor
Voltage	480V Three-Phase Input (220V Three-Phase Available for Additional Charge)
Weight	780 lbs (Up to two 97 lb weights can be added)
Working Width	31" (Inches)
Variable Speeds	300 to 1200 RPM (On the Grinding Head)
Water Tank	6.6 Gallons
Abrasive Plates	8" Magnetic Plates x 3 Spinning Heads on a Counter-Rotating Drum



9 x Standard M6, Three-Hole, Threaded, Trapezoid Pads for Grinding. These snap into the Magnetic Plates.
 9 x Velcro-Backed, 3in. Round, Plated, Aluminum Adapters w/ M6 fittings to snap into magnetic plates (Adapters included in price)
 [Mounting Plates are compatible with Redi-Lock Tools]

Price: \$ 14995

AVENGER 880

The Avenger 880 is the largest, most powerful machine in the Levetec arsenal! This is the next level up from the 750, and boasts a larger working width, motor, and weight thus yielding the highest possible production rate that money can buy! This is the ideal machine for larger jobs above 10,000 Sq. Ft. such as sports stadiums, airports, school gyms, massive warehouses, factory floors, etc. Due to its substantial weight, the Avenger 880 is equipped with a "raise and lower" feature to make it easy to operate and manage. The 880 is built as a 480V Three-Phase machine. However, on jobsites where that kind of power source is simply unavailable, the Levetec PortaFormer (\$2500) would trail behind you in the same way as your dust extractor system would follow! This gadget is essentially a portable transformer on wheels which takes 220V Three-Phase Power input and converts it to 480 Three-Phase so you can run the 880 at full force without any pesky "brown-outs"! All you'd need is an extra thick cord to accompany your set-up and you've eliminated the need for a direct 480V power source!




AVERAGE GRINDING PRODUCTION RATES PER DAY

Marble: 1300 - 1750 ft²
 Terrazzo: 2400 - 2900 ft²
 Granite: 800 - 920 ft²
 Concrete: 6300 - 7400 ft²
 Glue Removal: 1900 - 3150 ft²
 Paint Removal: 2550 - 4850 ft²

*Production rates may vary according to surface conditions, diamonds used, equipment operator, etc.

SPECIFICATIONS

Motor	Three-Phase 20 HP IEC Motor
Voltage	480V Three-Phase Input (220V Three-Phase Available for Additional Charge)
Weight	920 lbs (Up to two 97 lb weights can be added)
Working Width	35" (Inches)
Variable Speeds	300 to 1200 RPM (On the Grinding Head)
Water Tank	6.6 Gallons
Abrasive Plates	8-7/8" Magnetic Plates x 3 Spinning Heads on a Counter-Rotating Drum



Tooling

9 x Standard M6, Three-Hole, Threaded, Trapezoid Pads for Grinding. These snap into the Magnetic Plates.
 9 x Velcro-Backed, 3in, Round, Plated, Aluminum Adapters w/ M6 fittings to snap into magnetic plates (Adapters included in price - 4in Adapters Available Upon Request)
 (Mounting Plates are Compatible with Redi-Lock Tools)

Price: \$ 18995

AVENGER 250

The Avenger 250 Edger is a multi-functional machine. Most edgers are "dumb" machines; they just have an ON/OFF switch and are only useful for one type of task! It has swiveling wheels which allow you to adjust your movement to overcome difficult turns and tight spaces. To further add to your convenience, the Avenger 250 has a built-in vacuum port for easy dust-extraction and runs the exact same tooling as the rest of the Avengers. No special trinkets are needed to run this machine! All the controls are right on the handle near your hands. No more grueling edgework on hands and knees! Even with the guiding dust skirt on, this machine gets less than 1/8 of an inch from the wall (see below); that's less than the thickness of the sideboards in a standard room. Let the Avenger 250 put an end to all of your edge work nightmares!

All the way
to the edge!



\$325 Value Included for FREE:

The Voltage Cleaver converts 110V to 220V so you can run this machine anywhere!

SPECIFICATIONS

Motor	Three-Phase, 3 HP (CT), AC Motor
Voltage	220V Single Phase Input (110V with Volt. Cleaver)
Weight	150 lbs
Working Width	9.85" (Inches)
Variable Speeds	300 to 1200 RPM (On the Grinding Head)
Water Tank	2 Gallons
Abrasive Plates	A single 9.85" inch head, with fittings for 3 pads.



Tooling

3 x Standard M6, Three-Hole, Threaded, Trapezoid Pad; for Grinding. These snap into the Magnetic Plates.
3 x Velcro-Backed, 3in. Round, Plated, Aluminum Adapters w/ M6 fittings to snap into magnetic plates. (Adapters included in price)


*** **SAME TOOLING AS EVERY OTHER AVENGER** ***

350 SqFt Per Hour

Price: \$ 3195

← Premium Turbo Grinding Discs
Available Upon Request --- Only \$120 Each!

PROPANE OPTIONS FOR GRINDER/POLISHERS



EXPANDER 530 PROPANE

This is a high end, propane-powered, grinding and polishing machine. Equipped with a patented, mono-rotating, all gear planetary system, the Expander 530 Propane combines the performance and reliability of Italian engineering with the flexibility of a propane motor. This unit offers the user total independence from generators and wall outlets. This robust grinder combines a weight with a working section of 20.86 inches, providing high productivity rates and constant performance.

Main Advantages:

- No performance drop and loss of time caused by the power grid
- Very aggressive tanks to the mono-rotating planetary
- Free from the hassle and costs of extension cords in the yard
- No need of generator
- Accurate and reliable adjustable planetary speed
- Low operating vibrations
- Light and easy to maneuver
- Ideal for both indoor and outdoor use
- Dry or wet grinding
- Tempered steel gear transmission

AVERAGE GRINDING PRODUCTION RATES PER HOUR:

SuperConcrete (7Step): 120 - 170 ft²

Terrazzo(5Step): 120 - 170 ft²

Concrete (1Step): 500 - 900 ft²

Glue Removal: 500 - 700 ft²


Paint Removal: 500 - 700 ft²

*Production rates may vary according to surface conditions, diamonds used, equipment operator, etc.



SPECIFICATIONS

Propane Motor	Kawasaki FS603V
Power	12.7 kW
Machine Weight	550lbs (Without Tank or Tooling!)
Working Width (Inches)	20.86"
Variable Speeds (RPM)	500 to 1000 (On the Grinding Head)
Water Tank	12 Gallons
Abrasive Plates	9.45" Magnetic Plates x 3 Spinning Heads on a Counter-Rotating Drum



This unit is configured for Levetec's Diacrete line of premium, high production diamond tooling! These tools offer a much longer average lifespan, a more consistent and precise cut, and a greater ease of use. We're proud to offer our own US Made Diamonds for half the cost of Klindex's Tooling! [See Catalog]

Price: \$ 17495

RELATIVELY COMPACT AND PORTABLE DESIGN MAKES THE EXPANDER 530P IDEAL FOR SMALL TO MID-SIZE JOBS WHERE POWER IS UNAVAILABLE!



FEATURES A POWERFUL, ALL STEEL GEAR, MONO-ROTATING PLANETARY SYSTEM!

DURING OPERATION, ALL OF THE IMPORTANT CONTROLS ARE CONVENIENTLY LOCATED AT YOUR FINGERTIPS SO YOU CAN WORK MORE SAFELY AND EFFICIENTLY. THE SOPHISTICATED PRESSURE LEVER GAUGES THE FLOW OF PROPANE TO THE MOTOR AND ACTS AS YOUR VARIABLE SPEED CONTROL.



THE ULTRAGRIND


The UltraGrind is a professional floor machine which eliminates the need for electricity at the job site. This machine's key features include:

- Cordless Grinding, Honing, and Polishing (Wet & Dry)
- Oil-Filled Planetary Gear Drive
- Locking Transport Wheel (for easy loading and maneuvering)
- Dual Vacuum Ports (for convenient vac positioning)
- Adjustable Telescoping Handle
- Steel Body Construction
- Removable Panel for Easy Cleaning
- Engine Warranty - 2 years
- Green Cleaning Certifications: EPS, CARB, LEED, CE, GS-42
- 1 Year Machine Warranty




SPECIFICATIONS

Engine	18HP Kawasaki 603cc Engine (EPA/CARB Certified)
Grinding Pressure	Up to 780lbs
Weight	865 lbs (Base Weight Without Water or Tooling)
Working Width	30" (Inches)
Head Speed	475 to 735 RPM
Drum Speed	950 to 1470 RPM
Water Tank	8 Gallons (Additional Tank Available Upon Request)
Starter	12V Battery
Fuel System	Custom Propane Carburetor



Price: \$ 16995



HERCULES 650 PROPANE

This is a unique propane-powered grinding/polishing machine with the new 3-headed, geared, planetary DCS system, which improves average user production rates, even in the most severe environments. With its 3-head DCS system, the Hercules 650 Propane is considered as the most efficient surface preparation machine in the European market. The Hercules 650P combines performance and reliability of Italian engineering with the flexibility of propane motor. The Hercules 650P grants its user total independence from generators or power lines. This robust grinder combines its large weight with a working section of 25" providing high productivity rates and consistent performance. Hercules 650 Propane is perfect for outdoor applications where there is limited or no power options available. It can also be used indoors, with very good ventilation, of course!



AVERAGE GRINDING PRODUCTION RATES PER HOUR:

SuperConcrete (7Step): 150 – 200ft²
Concrete (1Step): 600 – 1000 ft²
Terrazzo (5Step): 150 - 200 ft²
Epoxy Removal: 600– 1000 ft²
Varnish Removal: 600 – 1000 ft²


*Production rates may vary according to surface conditions, diamonds used, equipment operator, etc.

SPECIFICATIONS

Propane Motor	Kawasaki FX850V
Power	19.9 kW
Machine Weight	815 lbs (Without Water or Tooling!)
Working Width (Inches)	25.59"
Variable Speeds (RPM)	700 to 1300 (On the Grinding Head)
Water Tank	12 Gallons

Abrasive Plates

9.45" Magnetic Plates x 3 Spinning Heads on a Counter-Rotating Drum



Diamond Tooling

--- Additional Images Are Provided On the Following Page ---



This unit is configured for Levetec's Diacrete line of premium, high production diamond tooling! These tools offer a much longer average lifespan, a more consistent and precise cut, and a greater ease of use. We're proud to offer our own US Made Diamonds for half the cost of Klindex's Tooling! [See Catalog]

Price: \$ 19995

MAIN ADVANTAGES:

- No performance drop and loss of time caused by the power grid
- Exclusive DCS system
- Free from the hassle and costs of extension cords in the yard
- No need of generator
- Accurate and reliable adjustable planetary speed
- Low operating vibrations
- Accommodation
- Light and easy to maneuver
- Ideal for both indoor and outdoor applications
- Suitable for Dry or Wet Grinding
- Standard 12 Gallon water tank
- Tempered steel gear transmission

FREE SHIPPING FOR THIS MACHINE!

Additional Shipping Charges For Tooling And Accessories May Apply!

BALANCED AND PORTABLE DESIGN
MAKES THE
EXPANDER 650P
IDEAL FOR MID-SIZE
JOBS WHERE
ELECTRICAL POWER

*NOTE: Battery and Propane
Tank Are Not Included for
Safety and Legal Concerns!*



FEATURES THE NEW
POWERFUL, ALL STEEL
GEAR, **DCS** PLANETARY

DURING OPERATION, ALL OF
THE IMPORTANT CONTROLS ARE
CONVENIENTLY LOCATED AT
YOUR FINGERTIPS SO YOU CAN
WORK MORE SAFELY AND
EFFICIENTLY.

THE SOPHISTICATED PRESSURE
LEVER GAUGES THE FLOW OF
PROPANE TO THE MOTOR AND
ACTS AS YOUR VARIABLE SPEED
CONTROL.

HERCULES 800 PROPANE

This is a unique propane-powered grinding/polishing machine with the new 3-headed, geared, planetary DCS system, which improves average user production rates, even in the most severe environments. With its 3-head DCS system, the Hercules 800 Propane is considered as the most efficient surface preparation machine in the European market. The Hercules 800P combines performance and reliability of Italian engineering with the flexibility of propane motor. The Hercules 800P grants its user total independence from generators or power lines. This robust grinder combines its large weight with a working section of 25" providing high productivity rates and consistent performance. Hercules 800 Propane is perfect for outdoor applications where there is limited or no power options available. It can also be used indoors, with very good ventilation, of course!



AVERAGE GRINDING PRODUCTION RATES PER HOUR:

SuperConcrete (7Step): 150 – 200ft²
Concrete (1Step): 600 – 1000 ft²
Terrazzo (5Step): 150 - 200 ft²
Epoxy Removal: 600– 1000 ft²
Varnish Removal: 600 – 1000 ft²

*Production rates may vary according to surface conditions, diamonds used, equipment operator, etc.



SPECIFICATIONS

Propane Motor	Kawasaki FX850V
Power	19.9 kW
Machine Weight	1070 lbs (Without Water or Tooling!)
Working Width (Inches)	31.50"
Variable Speeds (RPM)	500 to 950 (On the Grinding Head)
Water Tank	12 Gallons
Abrasive Plates	9.45" Magnetic Plates x 4 Spinning Heads on a Counter-Rotating Drum

Diamond Tooling



This unit is configured for Levetec's Diacrete line of premium, high production diamond tooling! These tools offer a much longer average lifespan, a more consistent and precise cut, and a greater ease of use. We're proud to offer our own US Made Diamonds for half the cost of Klindex's Tooling! [See Catalog]

Price: \$ 21195

MAIN ADVANTAGES:

- No performance drop and loss of time caused by the power grid
- Exclusive DCS system
- Free from the hassle and costs of extension cords in the yard
- No need of generator
- Accurate and reliable adjustable planetary speed
- Low operating vibrations
- Accommodation
- Light and easy to maneuver
- Ideal for both indoor and outdoor applications
- Suitable for Dry or Wet Grinding
- Standard 12 Gallon water tank
- Tempered steel gear transmission

NOTE: Battery and Propane Tank Are Not Included for Safety and Legal Concerns!

FREE SHIPPING FOR THIS MACHINE!

Additional Shipping Charges For Tooling And Accessories May Apply!

ITS 31.5" TOOL WIDTH AND GREAT MASS MAKES THE EXPANDER 800P IDEAL FOR INDUSTRIAL-SIZE JOBS WHERE ELECTRICAL POWER IS UNAVAILABLE!



FEATURES THE NEW POWERFUL, ALL STEEL GEAR, **DCS** PLANETARY

DURING OPERATION, ALL OF THE IMPORTANT CONTROLS ARE CONVENIENTLY LOCATED AT YOUR FINGERTIPS SO YOU CAN WORK MORE SAFELY AND EFFICIENTLY.

THE SOPHISTICATED PRESSURE LEVER GAUGES THE FLOW OF PROPANE TO THE MOTOR AND ACTS AS YOUR VARIABLE SPEED CONTROL.



DIAMOND TOOLS FOR FLOOR MACHINES



GRINDING & COATINGS REMOVAL

DIACRETE©TOOLING

Segment Type	Bonds	Grits	Unit Price
Double Bar Aggressive Formation Cuts Fast, Leaves More Scratches	Extra-Soft	16/18	\$23
	Soft	30/40	\$17
	Medium	60/80	
	Hard	120/150	

Segment Type	Bonds	Grits	Unit Price
Double Round Best For Prepping Polishing Projects Leaves Less Scratches	Extra-Soft	16/18	\$25
	Soft	30/40	\$23
	Medium	60/80	
	Hard	120/150	

PCD Type	Use For	Life Span	Unit Price
DCT Diacrete Combo Tool	General Coatings Removal	10,000 to 11,000 SqFt	\$29 Both Directions

Barracuda Dual Full PCD	Heavy Duty Coatings Removal	10,000 to 11,000 SqFt	\$55 Both Directions
-----------------------------------	-----------------------------------	--------------------------	-----------------------------------

Up to 33,000 SqFt of Production Per Set!
(Depending on the hardness and condition of the concrete floor, the machine in use, and the operator)

You can fit Diacrete Trapezoid Grinding Pads to almost any machine! Just take a look at our adapters on **page 55**.



SASE TOOLING

SASE users, rejoice!

Diacrete Diamond Tools can now **fit any SASE Floor Machine!**

Our exceptionally effective diamond formula is evenly matched with that of SASE. We don't claim to be better nor worse. We simply offer **the same excellent quality and production yield for a drastically lower price.** Now that's something everyone can appreciate!


Refer to the Diacrete Pricing on the previous page. **Just add \$ 1.00 to the price of any Diacrete Diamond Tool** to make it ready to use with your SASE machine.

Need help choosing the right diamond for the job? Our knowledgeable sales reps will gladly work with you to determine the ideal grit size and bond type for your particular project.

Start saving big, call us today!



Up to 33,000 SqFt of Production Per Set!
(Depending on the hardness and condition of the concrete floor, the machine in use, and the operator)



LAVINA FAST-CHANGE

Segment Type	Bonds	Grits	Unit Price
Double Bar Aggressive Cuts Fast, Leaves More Scratches	Extra-Soft Soft Medium Hard	16/18	\$30
		30/40	\$27
		60/80	
		120/150	

Segment Type	Bonds	Grits	Unit Price
Double Round Best For Prepping Polishing Projects Slower Cut Leaves Less Scratches	Extra-Soft Soft Medium Hard	16/18	\$34
		30/40	\$31
		60/80	
		120/150	

Segment Type	Bonds	Grits	Unit Price
Double Arrow Aggressive Ok for Coatings Removal, Leaves More Scratches	Soft Medium Hard	16/18	\$31
		30/40	\$28
		60/80	
		120/150	

PCD Type	Use For	Life Span	Unit Price
Triple ½ PCD Segments w/ Sacrificial Bar	Coatings Removal	11,000 to 15,000 SqFt	\$75 Both Directions

Up to 33,000 SqFt of Production Per Set!
(Depending on the hardness and condition
of the concrete floor, the machine in use,
and the operator)



HTC TOOLING

Segment Type	Bonds	Grits	Unit Price
Double Bar Aggressive Cuts Fast, Leaves More Scratches	Soft	16/18	\$27
	Medium	30/40	\$24
	Hard	60/80	
		120/150	

Segment Type	Bonds	Grits	Unit Price
Double Round Best For Prepping Polishing Projects Slower Cut Leaves Less Scratches	Extra-Soft	16/18	\$30
	Soft	30/40	\$27
	Medium	60/80	
	Hard	120/150	

Segment Type	Use For	Life Span	Unit Price
Double, ½ PCD Segment w/ Sacrificial Bar	General Coatings Removal	11,000 to 15,000 SqFt	\$70 Both Directions

Up to 33,000 SqFt of Production Per Set!
(Depending on the hardness and condition of the
concrete floor, the machine in use, and the
operator)



HUSQVARNA TOOLING

Up to 33,000 SqFt of Production Per Set!

(Depending on the hardness and condition of the concrete floor, the machine in use, and the operator)

Segment Type	Bonds	Grits	Unit Price
Double Bar Aggressive Cuts Fast, Leaves More Scratches	Extra-Soft*	16/18	\$33
	Soft	30/40	\$30
	Medium	60/80	
	Hard	120/150	



Segment Type	Bonds	Grits	Unit Price
Double Round Best For Prepping Polishing Projects Slower Cut Leaves Less Scratches	Extra-Soft	16/18	\$36
	Soft	30/40	\$33
	Medium	60/80	
	Hard	120/150	



Segment Type	Use	Life Span	Unit Price
Dual ¼ PCD w/ Sacrificial Bar Segment	General Coatings Removal	10,000 to 11,000 SqFt	\$50 Both Directions



SCANMASKIN CLASSIC

Segment Type	Bonds	Grit	Price
Double Bar Snap-On	Soft	30	\$28
	Medium		


Segment Type	Bonds	Grit	Price
Double Bar Snap-On	Soft	60	\$25
	Medium		

Segment Type	Bonds	Grit	Price
Double Bar Snap-On	Soft	120	\$25
	Medium		

Segment Type	Bonds	Grits	Price
Double-Bauta Snap-On	Soft* Medium	16/18	\$30
		30/40	\$27
		60/80	
		120/150	

* Item Type or Category is Made to Order Only!

Up to 20,000 SqFt of Production Per Set!
(Depending on the closeness of the match
between the concrete, bond type, and grit)



SCANMASKIN CONT'D

Name	Segment	Price
*Twin Tiger Silver Snap-On	Dual Half PCDs	\$80

Name	Bonds	Price
*Twin Tiger Gold Snap-On	Dual Full PCDs	\$90

Segment Type	Bonds	Grits	Price
Round Rap	Soft*	18/20	\$31
	Medium	30/40	\$29
		60/80	
		120/150	

Up to 12,000 SqFt of Production Per Set!
(Depending on the hardness and condition of the concrete floor, the machine in use, and the operator)



* Item Type or Category is Made to Order Only!

MASTERCRAFT

Segment Type	Bonds	Grits	Unit Price
Double Bar Aggressive Cuts Fast, Leaves More Scratches	Extra-Soft*	16/18	\$28
	Soft	30/40	\$25
	Medium	60/80	
	Hard	120/150	



Segment Type	Bonds	Grits	Unit Price
Double Round Best For Prepping Polishing Projects Slower Cut Leaves Less Scratches	Extra-Soft*	16/18	\$31
	Soft	30/40	\$28
	Medium	60/80	
	Hard	120/150	

Segment Type	Use	Life Span	Unit Price
*¼ PCD w/ Sacrificial Bar Segment	General Coatings Removal	11,000 to 15,000 SqFt	\$65 Both Directions

* Item Type or Category is Made to Order Only!

Up to 33,000 SqFt of Production Per Set!
(Depending on the hardness and condition of the
concrete floor, the machine in use, and the
operator)

Fits the MasterCraft Fast-Change plates on!



GRINDING DISCS - TERRCO, STI, AZTEC, ETC.

Segment Type	Bonds	Grits	Unit Price
Beveled Edge 10 Segments Fits STI	Soft*	18/20	\$55
	Medium	30/40	\$53
	Hard*	60/80	
		120/150	



Segment Type	Bonds	Grits	Unit Price
Beveled Edge 10 Segments Multi-Configuration Fits Avenger, Prepmaster and Aztec	Soft	16/18	\$55
	Medium	30/40	\$53
	Hard	60/80	
		120/150	



Segment Type	Bonds	Grits	Unit Price
Non-Beveled Edge 10 Segments Multi-Configuration Fits Avenger, Prepmaster and Aztec	Soft	16/18	\$55
	Medium	30/40	\$53
	Hard	60/80	
		120/150	

* Item Type or Category is Made to Order Only!

The multi-configuration plates on these tools enable you to use this tooling with most machines! **M6 Three Hole Pattern, Terrco, Aztec, STI/Prepmaster, CPS, etc.**



2" DIAMOND PLUGS

Segment Type	Bonds	Grits	Unit Price
*Bar Aggressive Cuts Fast, Leaves More Scratches	Soft	16/18	\$50
	Medium	30/40	\$47
	Hard	60/80	
		120/150	

Segment Type	Bonds	Grits	Unit Price
Solid Best For Prepping Polishing Projects Leaves Less Scratches	Soft*	16/18	\$50
	Medium	30/40	\$47
	Hard*	60/80	
		120/150	

Segment Type	Bonds	Grits	Unit Price
Arrow Aggressive Ok for Coatings Removal, Leaves More Scratches	Soft*	16/18*	\$58
	Medium	30/40	\$55
	Hard*	60/80*	
		120/150*	

Segment Type	Bonds	Grits	Unit Price
Beveled Edge 10 Segments	Soft	16/18	\$58
	Medium	30/40	\$55
	Hard	60/80	
		120/150	

* Item Type or Category is Made to Order Only!

Up to 20,000 SqFt of Production Per Set!
(Depending on the closeness of the match
between the concrete, bond type, and grit)

Fits the **STI**, Some **Terrcos**, and Some
PrepMaster Machines!



CUSTOM BUSH HAMMERS

We are proud to present Diacrete diamond technology in our premium Bush Hammers.

Diacrete Bushhammer Plates allow the operator to **create a very rough and anti-slip profile on concrete**. Such a surface is ideal for exterior applications. This tooling also works well for removal of thin coatings when preparing a floor for application of epoxy coatings.

The plates that hold these aggressive concrete texturing tools are made to order so they can be used with virtually any machine of corresponding size and weight. Typically, bush hammers should be used with no more than 700 rpms.

Send us a spare tool attachment plate from an appropriate machine, and we'll take care of the rest. Depending on the size of the machine in question, there can be 3 to 4 bush hammer rollers per plate. Each roller has 3 rows of 15 high quality, tungsten-carbide tips for a total of 45 tips!

Our bush hammers can range anywhere from **\$1600 to \$3000 (max) for a set of 3 plates**. Cost varies by machine and roller count.

Don't hesitate to call with special requests or technical questions, we're here to make sure you're business needs are properly met!



DIACRETE POLISHING

THE PREMIUMS

These thick, resin-bonded, floor pads **last up to 4500 SqFt** per set depending on the surface and grit in use! These can fit almost every machine out there, just check out our adapters on page [51]!

Attributes	Use With	Grits	Unit Price
3" Inch Diameter	Concrete	50	\$14
10mm Thickness	Terrazo	100	
Use Dry (Or Wet)	Limestone	200	
Velcro-Mounted		400	
High Gloss		800	
Long-Lasting		1500	
		3000	

THE ULTRAS

These **hybrid** pads are made with a hardened, semi-metal resin bond making them **excellent transitional** tools for **removing scratches** left behind by metal-bonded tooling. A set of these can **last up to 20000 SqFt** depending on the step.

Attributes	Use With	Grits	Unit Price
3" Inch Diameter	Concrete	50	\$17
12mm Thickness	Terrazo	100	
Use Dry (Or Wet)	Limestone	200	
Velcro-Mounted		400	
Semi-Metal		800	
Very Long-Lasting			
Transitional Pads			

This 3-Inch Velcro Mounted style of Polishing Pads is an industry standard. But the quality and pricing of our tooling is anything but standard!



Wondering if these pads can fit your machine? Just check out our selection of premium, 3-Inch Velcro Tool Holders on **pages 55 and 56!**



HAND GRINDERS, TOOLS, & ACCESSORIES




LEVETEC L-1200 VS HAND GRINDER



This tool was specifically designed for concrete grinding and polishing corners and edges. As a rule of thumb, concrete and natural stone floors are best ground at a low speed which allows for the best cut on the surface without any bouncing or diamonds going to waste. Most regular hand grinders run at 1000 rpm or more, and most variable speed hand grinders run between 1000 to 3000 rpm. These are way too fast and even when set to the lowest speed, the tooling has no power when pressure is applied on the grinding head. In order to combat this issue, we preconfigured the L-1200's speed to be variable from 360 to 1200 rpm so that the tooling actually catches and performs well! No more flying pads!

Kit Includes: Your choice of 5 Inch or 7 Inch Dust Shroud, an 18-Inch Flex Hose, Fittings, Universal Adapter, Hand Grinder Unit. (Accessories by Dustless Technologies)

VARIABLE SPEED OSCILLATING CORNER TOOL



**ONLY
\$99**

Accessories Included:

(2) Triangular Sanding Sheets, (1) 3 Inch Triangular Sanding Pad,
(1) Angled Cutter Blade, (1) Angled Scraper Blade



The Triangle
Diamond Pads
for this tool can
be found on the
next page!

This single hand power tool allows the user to cut through cable and pipes, sand down concrete and plaster or saw through wood up to 2-1/4 Inches thick with ease! Variable from 10000-20000 DPM (Oscillations Per Minute), this amazing multifunctional, oscillating, corner solution accepts a wide variety of accessories for every job including grinding and polishing pesky corners. This unit was built with die-cast aluminum gear housing and offers impressive durability!



HIGHLIGHTS:

- Delivers 10000-20000 DPM (Oscillations Per Minute)
- The 1/4 HP Motor, uses American-Made, Sealed Bearings to boast a longer life span!
- Comfortable over-molded grip, let's you work longer without getting sore!
- Input: 110 Volt, 2 Amps – Use at virtually any job site!
- Net Weight: 3 lbs
- Depth of Cut: 2.25 Inches




PADS FOR HAND TOOLS

ELITE CORNER PADS

These triangular pads work with our **Oscillating Corner Tool** on page [41]! Grits 60, 120, 200, 400 are electroplated diamond pads, the finer grits are normal resin pads for polishing. This is the most cost-effective solution for handling corners!



Attributes	Use With	Grits	Unit Price
3" Inch	Concrete	60	\$18
2.6mm Thickness	Terrazo	120	
Use Dry (Or Wet)	Limestone	200	
Velcro-Mounted		400	
Triangular		800	\$15
Long-Lasting		1500	
		3000	



ELECTROPLATO'S

These **hybrid** pads are made with a hardened, semi-metal resin bond making them **excellent transitional** tools for **removing scratches** left by metal-bonded tooling. A set can **last up to 20000 SqFt** depending on the step.

Attributes	Use With	Grits	Unit Price
5" Inch Diameter	Concrete	50	\$26
3mm Thickness	Terrazo	100	
Use Dry (Or Wet)	Limestone	200	
Velcro-Mounted		400	
Very Long-Lasting			\$36
Transitional Use			
7" Inch (Price)	→	→	



7" METAL DOT PADS

Attributes	Use With	Grit	Unit Price
Width: 7in For Dry (or Wet) Use	Concrete And Engineered Stone	30	\$80


Attributes	Use With	Grit	Unit Price
Width: 7in For Dry (or Wet) Use	Concrete And Engineered Stone	50	\$75

Attributes	Use With	Grit	Unit Price
Width: 7in For Dry (or Wet) Use	Concrete And Engineered Stone	100	\$70

Attributes	Use With	Grit	Unit Price
Width: 7in For Dry (or Wet) Use	Concrete And Engineered Stone	200	\$70

Attributes	Use With	Grits	Unit Price
L-Kit (One of Each) Width: 7in	Concrete And Engineered Stone	30 50 100 200	\$279

When a cup wheel is too aggressive for the job, step down to a metal dot diamond pad and **stay efficient while minimizing the risk** of over cutting or over scratching on more delicate floors.



5" METAL DOT PADS

Attributes	Use With	Grit	Unit Price
Width: 5in For Dry (or Wet) Use	Concrete And Engineered Stone	30	\$60





Attributes	Use With	Grit	Unit Price
Width: 5in For Dry (or Wet) Use	Concrete And Engineered Stone	50	\$55

Attributes	Use With	Grit	Unit Price
Width: 5in For Dry (or Wet) Use	Concrete And Engineered Stone	100	\$50

Attributes	Use With	Grit	Unit Price
Width: 5in For Dry (or Wet) Use	Concrete And Engineered Stone	200	\$50

Attributes	Use With	Grits	Unit Price
L-Kit (One of Each) Width: 5in	Concrete And Engineered Stone	30 50 100 200	\$199

These 5 Inch Pads have more segments which means they're **less aggressive and much easier to control** than the 3-Row, 7 Inch Pads are shown on the previous page.






DIACRETE PREMIUM POLISHING PADS FOR HAND GRINDERS

Attributes	Use With	Grits	Unit Price
Width: 5in	Concrete	50	\$14
Both Dry	And	100	
AND Wet	Engineered	200	
Long-Lasting	Stone	400	
5mm Thickness		800	
		1500	
		3000	

Up to 2800 SqFt of Production Per Pad!
(Depending on the closeness of the match
between the concrete, and grit)

Attributes	Use With	Grits	Unit Price
Width: 7in	Concrete	50	\$25
Both Dry	And	100	
AND Wet	Engineered	200	
Long-Lasting	Stone	400	
5mm Thickness		800	
		1500	
		3000	

Up to 3200 SqFt of Production Per Pad!
(Depending on the closeness of the match
between the concrete, and grit)



DIACRETE® CUPWHEELS BY

Our premium Arrow Cup Wheels allow the user to quickly and aggressively grind down a concrete surface. With 8mm thick segments, they truly offer optimum performance.

Attributes	Bonds	Grits	Price
Width: 7in	S - Soft	16*	\$96
Full Arrow 10 Segments	M - Medium	30	\$82

The more segments a cup wheel has, the less the distance between the segments becomes, and the less aggressive it cuts. This allows more control to be retained by the user. Mistakes are less likely to happen with more segments!

Attributes	Bonds	Grits	Price
Width: 7in	S - Soft	16*	\$90
Mini Arrow 12 Segments	M - Medium	30	\$76

L-Shape Segments yield high cutting efficiency and are ideal for aggressive surface preparation. Similarly to the turbos, we design them with large air holes for improved cooling and dust evacuation.

Attributes	Bonds	Grits	Price
Width: 7in	S - Soft	16*	\$86
Turbo Style 12 L-Segments	M - Medium	30	\$72

* MADE TO ORDER – THREE WEEK LEAD TIME!

These will last reliably from 4000 up to 7000 SqFt!

LEVE TEC

All cup wheels are a 5/8"-11, thread on fit!



DIACRETE® CUPWHEELS BY

Our premium Turbo Cup Wheels allow the user to quickly and **aggressively grind** down a concrete surface. With large pores in the metal body, our tools **run cooler** while grinding and with **5mm thick** segments, they truly offer optimum performance. These will last reliably from **4000 to 7000 SqFt!**

Attributes	Bonds	Grits	Price
Width: 7in	S - Soft	16	\$75
Turbo Style	M - Medium	30	\$65
12 Bar Segments			
7TCW12T-S or -M			

Fan Type Segments offer very even coverage when grinding. They yield **high cutting efficiency** and are ideal for aggressive surface preparation. Similarly to the turbos, we design them with large air holes for **improved cooling and dust evacuation**.

Attributes	Bonds	Grits	Price
Width: 7in	S - Soft	16	\$85
Fan Style	M - Medium	30	\$75
18 Segments			
7TCW18T-S or -M			

The **more segments** a cup wheel has, the less the distance between the segments becomes, and the **less aggressive** it cuts. This allows **more control** to be retained by the user. Mistakes are less likely to happen with more segments!

Attributes	Bonds	Grits	Price
Width: 7in	S - Soft	16	\$120
Turbo Style	M - Medium	30	\$90
24 Bar Segments			
7TCW24T-S or -M			

These will last reliably from 4000 up to 7000 SqFt!

LEVETEC

All cup wheels are a 5/8"-11 thread on fit!



DIACRETE© CUPWHEELS BY

Our premium Turbo Cup Wheels allow the user to quickly and **aggressively grind** down a concrete surface. With large pores in the metal body, our tools **run cooler** while grinding and with **5mm thick** segments, they truly offer optimum performance. These will last reliably from **4000 to 7000 SqFt!**

Attributes	Bonds	Grits	Price
Width: 5in	S - Soft	16*	\$65
Turbo Style	M - Medium	30	\$56
18 Bar Segments			
5TCW18T-S or -M			

L-Shape Segments yield **high cutting efficiency** and are ideal for aggressive surface preparation. Similarly to the turbos, we design them with large air holes for **improved cooling and dust evacuation**.

Attributes	Bonds	Grits	Price
Width: 5in	S - Soft	16*	\$74
L-Shape	M - Medium	30	\$65
12 Segments			
5LCW12-S or -M			

The **more segments** a cup wheel has, the less the distance between the segments becomes, and the **less aggressive** it cuts. This allows **more control** to be retained by the user. Mistakes are less likely to happen with more segments!

Attributes	Segments	Price
Width: 7in	¼ PCDs	\$145
PCD Cupwheel	8 Segs	

These will last reliably from 4000 **up to 7000 SqFt!**

LEVETEC

All cup wheels are a 5/8"-11 thread on fit!



ALL ACCESSORIES

Works With	Kit Includes	Price
4 Inch to 5 Inch Hand Grinders	- Clear polycarbonate plastic shroud x 1 - 18 Inch Flex Hose x 1 - Height Adjustment Spacer x 3 - Releasable Zip Tie x 1	\$89
6 Inch to 9 Inch Hand Grinders	--- Same Kit ---	\$99

- ❖ The DustBuddie is the pros choice for dust control when using a hand grinder. It fits most grinders and captures up to 99% of airborne particles for outstanding dust control. It preserves air quality, protects workers from harmful silica dust, Hexavalent Chromium and silicosis with the industry's best dustless grinding system.
- ❖ The DustBuddie installs fast and easy. The height is adjustable to accommodate different cutting blades or grinding wheels. Simply loosen/tighten three spring-mounted screws. You'll like how the brush skirt promotes a smooth gliding motion for better control when grinding uneven or textured surfaces.
- ❖ The front lip snaps on/off with ease so you can grind up against a wall. Take the front lip off and add a cover plate and you have a dust control system for tuck pointing, decorative concrete cutting and crack chasing. Dust cleanup costs time and money and it's a safety hazard. Enhance worker safety with DustBuddie point-of-origin dust control systems for hand grinders.

→DUSTBUDDIE→
→MUZZLE KITS→



- ✓ Front edge of shroud is removable to enable grinding close to a wall or edge!
- ✓ Brush skirt improves performance on textured surfaces!
- ✓ Saves time and money by reducing or even eliminating dust cleanup!
- ✓ Captures 99% of the airborne dust caused by grinding, sanding and cutting!
- ✓ Clear, poly-carbonate, plastic for improved visibility and durability!
- ✓ Fits DEWALT, Makita, Bosch, Milwaukee and most other hand grinders!
- ✓ Fast and easy to install!
- ✓ Includes a flexible, crush-proof, 18 Inch hose with 1 1/2 Inch Inner Diameter x 2 Inch Outer Diameter to fit most vacuum systems!

BACKER PADS

Size and Fitting	Description	Price
5 Inch 5/8-11 Threaded	Semi-Flexible Backer for Velcro-Mounted Polishing Pads More Control ,Less Mistakes but these are less durable!	\$18
7 Inch 5/8-11 Threaded	Semi-Flexible Backer for Velcro-Mounted Polishing Pads More Control ,Less Mistakes but these are less durable!	\$25
7 Inch 5/8-11 Threaded	Premium Rigid Backer for Velcro-Mounted Polishing Pads For More Aggressive Edge Work!	\$30
5 Inch 5/8-11 Threaded	Premium Aluminum Backer for Velcro-Mounted Polishing Pads	\$30

These **Velcro** backer pad attachments all follow the industry-wide standard of having a **5/8-11" Threaded** Fitting to be **compatible with virtually any brand** of hand grinder out there!



ADAPTERS ETC.

Product Name	Description	Price
Quad Adapter	Made of Brass. Enables use of 5/8-7/8" Threaded Tooling	\$15
A78	Cupwheel Adapter, 7/8" to 5/8" Threaded	\$16
A78H	Cupwheel Adapter, 7/8" to 5/8" Threaded	\$18
A78T	Cupwheel Adapter, 7/8" to 5/8" Threaded Tall	\$20

These adapters allow the user to adapt certain cup wheels to fit almost any grinder. This section is mainly for those who do not own the L-1200 but still want to use our premium cup wheels!




ADAPTERS ETC.

Name	Description	Price
STI Plug Adapter 3 Inch	2 Inch Plug-Style Adapter with a 3 Inch Face for Velcro-Mounted Polishing Pads (Typically fits STI Machines)	\$35
EZ-Change Adapter	Enables the use of our Diacrete Trapezoids with HTC Machines	\$15
STI and Terrco Adapter 3 Inch	Premium Adapter - Enables the use of our Diacrete Trapezoids on STI and Terrco Machines	\$30
3" STI and Terrco Adapter	Premium Velcro Adapter - Enables the use of any of our 3 Inch Diacrete Polishing Pads with STI and Terrco Machines	\$40



ADAPTERS ETC.

Size and Fitting	Description	Price
3" Master Craft	Premium Fast Change Velcro Adapter - Enables the use of any of our 3 Inch Diacrete Polishing Pads on MasterCraft Machines	\$40
3" Redi-Lock	Premium Redi-Lock Velcro Adapter - Enables the use of any of our 3 Inch Diacrete Polishing Pads on Husqvarna Machines	\$40
7 Inch Milwaukee	Premium Shock Proof Dust Muzzle with Flap Cover, Adjustable Zip Tie and Adapter for Milwaukee Grinders	\$60



ADAPTER PLATES

Product Name	Description	Price
CP95HTC3	9.5" HTC Conversion Plate with 3 Fast Change Slots	\$98
CP95SAS3	9.5" SASE Conversion Plate with 3 Fast Change Slots	\$98
CP95HUS3	9.5" Innovatech Conversion Plate with 3 Fast Change Slots	\$98
CP10EDC6	10" EDCO Conversion Plate with 6 Fast Change Slots	\$108



AVENGER ITEMS

Product ID	Description	Price
A460WT	Weight for Avenger Models 460 and 550	\$140
A650WT	Weight for Avenger Model 650	\$160
A750WT	Weight for Avenger Models 750 and 880	\$180
DSA460	Heavy Duty Dust Skirt for Avenger 460	\$120
DSA550	Heavy Duty Dust Skirt for Avenger 550	\$135
DSA650	Heavy Duty Dust Skirt for Avenger 650	\$150
DSA750	Heavy Duty Dust Skirt for Avenger 750	\$165
DSA880	Heavy Duty Dust Skirt for Avenger 880	\$180



SAFETY ON THE JOB

Compact, lightweight and flexible design which adapts perfectly to the face and offers a full range of vision without interfering with other eye or ear protections which users choose to wear.

Large central non-return valve which allows for a reduction of the user's breathing resistance and moisture build-up inside the mask to a minimum.

Lightweight, non-slip strap that is easily adjusted in 4 positions for improved comfort and to allow safe use even in high humidity or wet conditions.

Effective against dust and fumes containing substances such as micro-organisms, marble, gypsum, titanium oxide, soapstone, rock wool, wood, detergents, textile fibres, spices, salt, feed, etc. ...

Protects against dust that can cause lung disease. In particular, protects against coal, silica, cotton, iron ore, graphite, kaolin, zinc, aluminium dusts. Protects against harmful dusts such as asbestos, bauxite, coal, silica, iron, and against toxic dusts such as manganese, lead and chromium.

Pleated, interchangeable P100 filters have a minimum efficiency of 99.97%, at 0.3 microns and a breathing resistance of

4.2 mbar at a flow of 47.5 L/min for each filter. Maximum breathing resistance after loading is 7mbar.

Storage Life of 5 years, for mask and filters!



HARDNESS TESTING

While the Mohs' Hardness test was developed originally for testing minerals, the same concept can be applied to industrial materials. Use this kit for "scratch testing" substances to determine their Hardness according to the Mohs' Hardness scale, which ranges from 1 to 10, where Diamond is the hardest at 10, while Talc is softest at 1.

How do you use the hardness picks?

Simply scratch a smooth surface of your material with the picks of various indicated hardness. As an example, if a No. 5 pick scratches the material, but a No. 4 pick does not, then your material's hardness is 4.5.

What is included in the Mohs' Hardness Test Kit ?

- Four double-ended picks, color-coded, with eight points comprising 2, 3, 4, 5, 6, 7, 8, and 9 on Mohs' hardness scale, as shown here →
- Two Hardness Plates (of Mohs' hardness of 3.5 and 5.5)
- A 100 grit Grinding Stone to keep the points sharp.
- Rugged and compact molded Plastic Case.
- Hardness Table for 80 common Materials.
- Complete Instructions, customized for Industrial applications.

Examples of materials on which industry uses this tool:

- Concrete
- Faucet finishes
- Touch screens
- Plastics and Glass materials
- Countertop materials
- Flooring products, etc.



FLOOR MAINTENANCE & SPECIALTY STONE CARE



SPINOR© MAINTENANCE PADS

The coarse (#400 Grit) diamond maintenance pad is perfect for cleaning and resurfacing concrete or natural stone floors. It works very well for floors that are very dirty with light surfaces scratches. The coarse grit pad should be followed by the medium pad as you re-surface the floor.




The medium (#800 Grit) pad is the second step to re-surfacing a natural stone or concrete floor following the coarse pad. It can also be the starting step on a floor which is slightly dirty, with faint surface scratches needing to be cleaned up.

The fine (#1500 Grit) pad is the third step in the re-surfacing of a natural stone or concrete floor following the medium grit. This grit can also be used as to perform maintenance on most surfaces and upkeep the floor's shine on a frequent basis!

The very fine (#3000 Grit) pad is the final step in the re-surfacing of a natural stone or concrete floor. It is also the recommended grit for on-going maintenance of the floor to keep the shine level of the floor on a regular basis.

OTHER GRITS: 100, 200, 400





—— PRICING: NEXT PAGE ——



SMP PRICING





Product Code	Size	Grits	Unit Price	5-Pk Price
7SMP0400	7"	400	\$19	\$90
7SMP0800		800		
7SMP1500		1500		
7SMP3000		3000		
9SMP0400	9"	400	\$26	\$125
9SMP0800		800		
9SMP1500		1500		
9SMP3000		3000		
11SMP0400	11"	400	\$29	\$139
11SMP0800		800		
11SMP1500		1500		
11SMP3000		3000		
13SMP0400	13"	400	\$33	\$159
13SMP0800		800		
13SMP1500		1500		
13SMP3000		3000		
14SMP0400	14"	400	\$39	\$189
14SMP0800		800		
14SMP1500		1500		
14SMP3000		3000		
15SMP0400	15"	400	\$43	\$209
15SMP0800		800		
15SMP1500		1500		
15SMP3000		3000		

— MORE SIZES: NEXT PAGE —



PRICING CONT'D

Product Code	Size	Grits	Unit Price	5-Pk Price
16SMP0400	16"	400	\$46	\$219
16SMP0800		800		
16SMP1500		1500		
16SMP3000		3000		
17SMP0400	17"	400	\$48	\$229
17SMP0800		800		
17SMP1500		1500		
17SMP3000		3000		
20SMP0400	20"	400	\$52	\$250
20SMP0800		800		
20SMP1500		1500		
20SMP3000		3000		
21SMP0400	21"	400	\$52	\$250
21SMP0800		800		
21SMP1500		1500		
21SMP3000		3000		
24SMP0400	24"	400	\$66	\$320
24SMP0800		800		
24SMP1500		1500		
24SMP3000		3000		
27SMP0400	27"	400	\$74	\$359
27SMP0800		800		
27SMP1500		1500		
27SMP3000		3000		



AVENGER BUFFER

The Avenger Buffer is the ultimate multipurpose floor maintenance machine. This unit is capable of stone polishing as well as basic cleaning and upkeep jobs. An array of optional tools is included with the purchase of this machine. The attachments include an additional 45 lb weight, an adapter for 10" and 17" floor pads, which allows the user to easily polish stairs and switch to the larger pads to quickly work through wide areas. The handy Levetec Voltage Cleaver gadget is included in the sale price of this machine so the buffer can be ran as a 110V or a 220V machine as you see fit! This is a must have!



SPECIFICATIONS

Motor	Three-Phase, 3 HP (CT), AC Motor
Voltage	220V Single Phase Input (110V W/ Voltage Cleaver)
Weight	130 lbs (W/O Additional Weight 45lb Weight)
Working Width	Variable
Speed	175 RPM (On the Head)
Water Tank	2 Gallons
Abrasive Plates	10" and/or 17" Plates
Tooling	Spinor Maintenance Pads, 10" and 17" White Buff Pads & Vera Brilliare Marble Polish
	300 SqFt Per Hour



WE IMPORT FINE
ITALIAN MARBLE
POLISHING
POWDER! SEE
PAGE [65] FOR
MORE DETAILS.

INCLUDED FOR FREE!

Voltage Cleaver - Allows you to
combine two independent 110V
lines to create a 220V, 20 Amp,
Single-Phase connection!

Price: \$ 2095

Wet AND Dry Marble
Pads Available!

MARBLE CARE PADS

These premium Copper Bonded Pads can be run **DRY** without any issues but, they're especially great for those early **WET** cuts on **Granite, Marble, Terrazzo**, and even Concrete. They are full-face pads which deliver great results on uneven or wavy edges because they offer aggressive stock removal rates at the early grits!

Sizes	Grits	Unit Price
4 Inch	30	\$20
	50	
	100	
5inch	200	\$24
	400	

These premium resin diamond pads are specially formulated to be efficient at all stages of the **WET polishing** process for **Granite, Marble**. However, due the consistency chosen for the diamonds and the bond on these pads, they're simply not aggressive enough to deal with concrete or terrazzo!

Sizes	Grits	Unit Price
4 Inch	50	\$15
	100	
	200	
5inch	400	\$19
	800	
	1500	
	3000	

These pads are available in both **4 Inch** to work with the Avenger Buffer, and **5 Inch** for use with Hand grinders or counter-top machines! These pads are ideal for **wet work** on **marble** at any stage!



VERA BRILLIARE – MARBLE POLISH POWDER

With only 2.5 pounds of this powder, the user can cover approximately 300 square feet depending on the type of stone being polished. This top quality powder it works wonders on marble, travertine, limestone, terrazzo, and other calcite stones it can be used on floors, counters, walls, and steps!

Available in two sizes for your convenience:

- 8.5 lbs Bucket for \$90
- 40 lbs Bucket for \$390



PRODUCT HIGHLIGHTS:

- ❖ No Crystallization!
- ❖ Non-Toxic!
- ❖ A Natural Product for Natural Stone Surfaces!
- ❖ Imported directly from Italy!
- ❖ Better priced than many leading brands!
- ❖ Premium Quality!

HEPA CERTIFIED DUST EXTRACTORS



PULLMAN-ERMATOR

S LINE - SINGLE PHASE EXTRACTORS

Ermator's single phase HEPA dust collectors are powerful, portable vac/separators that can be used alone for wide variety of pick-up applications, and to supplement hand/floor power tools for dustless grinding, sanding and drilling. Excellent for both wood and concrete dust and other construction, restoration materials where fast, dustless recovery is required to maintain productivity and clean-air working environment. All units include individually-tested and certified HEPA filters and Ermator's unique direct "dustless" deposit into poly bags for safe, easy handling and disposal. Each unit in this line is equipped with the "Jet Pulse" filter cleaning system for maximizing airflow and pick-up efficiency.

T LINE - THREE PHASE EXTRACTORS

For the largest grinding operations and major construction/restoration job sites, you need the rugged power, capacity and performance of Ermator's T-Line Dust Extractors. These three-phase HEPA dust collectors are well known for their ability to pick-up vast amounts of dust and debris without interruption. They are capable of large volume recovery of concrete dust during floor surface preparation and for safe collection, disposal and handling of other harmful building materials including asbestos and lead. There are three versatile models to choose from. Each unit can also perform as a central dust control vacuum for use in factories, processing plants, and mills. Each unit is equipped with the Jet Pulse filter cleaning system for maximizing airflow and productivity. Dual HEPA filters and the Longopac® dustless containment & disposal system will ensure that the workplace is safe for your workers and other building occupants.

ERMATOR S26

As a business owner, it is important for you to protect your workers from major occupational health hazards and establish the legal groundwork that will prevent potential lawsuits. The first step is to stop your employees from using shop-style vacuums purchased from local home improvement stores and begin using professional HEPA Dust Extractors manufactured by Ermator. Unlike low cost homeowner vacuums, Ermator HEPA Dust Extractors are equipped with tested and certified HEPA filters that trap the smallest, most dangerous-to-breath dust particles and prevents them from being released in the air. A HEPA Dust Extractor not only exhausts perfectly clean air, it is far more efficient for the fast recovery of bulk dry dust, debris and other building materials found on every Construction, Abatement and Restoration job site. They can also be connected to electrical power tools to extract the freshly cut and friable concrete dust, considered to be the most hazardous to construction workers.

COMPATIBLE
WITH AVENGER
460 AND 550!



**MOST
POPULAR!**

Two-Stage Filters make this unit
fully Compliant with new 2018
OSHA Silicate Regulations!



SPECIFICATIONS

Motor (HP)	3.4
Input Power	19.6 Amp, 110V or 9.8 Amp, 220V
Machine Weight	127 lbs
Water Lift (Inches)	100
Air Flow Capacity (CFM)	258
Primary Filter	Conical Pre-Filter x 1
Secondary Filter	HEPA Filter 9 ft ² x 2
Includes	
Longopac Insert x 1	
Floor Tool Attachment x 1	
Wand Attachment x 1	
25' Long Hose w/ 2" Fitting x 1	
1-Year Manufacturer's Warranty	
Conical Pre-Filter x1 - & HEPA Filter x 2	

Price: \$ 2750

ERMATOR S36

This is the most powerful single-phase HEPA Dust Extractor on the market today. Three large, commercial-grade vacuum motors provide over 350CFM and 110-inches of waterlift, plenty of power to handle any mid-size planetary floor grinder. Like all Ermator Dust Extractors, the model S36 is equipped with Jet Pulse filter cleaning, "drop-down" dust collection in a plastic bag and tested and certified HEPA filtration. What makes the S36 truly unique and unmatched in the concrete grinding and polishing industry is the quantity and size of its filters. It has a massive pre-filter with over 50-square feet of media, constructed in a cone-shape to reduce filter loading. The unique shape of the S36 pre-filter also improves filter cleaning, when necessary, via the Jet Pulse filter cleaning system. Our competitors have difficulty including a single HEPA filter with their vacuums. The S36 is equipped with three (3) independently tested and certified HEPA filters to guarantee that vacuum exhaust is absolutely dust-free! The S36 is also unmatched in its portability. Its surprisingly innovative dolly design makes loading and unloading a breeze. Once on the job site, this dust extractor easily navigates congested floor areas via a steel frame mounted on large rear wheels and lockable front swivel casters.



COMPATIBLE WITH
AVENGER 650!

**INDUSTRY
LEADER!**

Two-Stage Filters make this unit
fully Compliant with new 2018
OSHA Silicate Regulations!



SPECIFICATIONS

Motor (HP)	5.1
Input Power	18 Amp, 110V / 14.8 Amp, 220V
Machine Weight	175 lbs
Water Lift (Inches)	80 / 100
Air Flow Capacity (CFM)	258 / 353
Primary Filter	Conical Pre-Filter x 1
Secondary Filter	HEPA Filter 9 ft ² x 3
Includes	Longopac Insert x 1
	Floor Tool Attachment x 1
	Wand Attachment x 1
	25' Long Hose w/ 2" Fitting x 1
	1-Year Manufacturer's Warranty
	Conical Pre-Filter x 1 - & HEPA Filter x 3

Price: \$ 4950

ERMATOR S36P

Powerful 11 HP Honda engine drives the turbine to produce 285 CFM with 125" of water lift. **Key Features:**

- ✓ Drop down Longopac® disposal system
- ✓ Coated pre-filter socks
- ✓ JetPulse filter cleaning
- ✓ Cam lock hose connection
- ✓ Direct drive magnetic clutch
- ✓ O2 sensor
- ✓ Low oil pressure sensor
- ✓ Plastic battery tie down
- ✓ Certified HEPA filtration to 99.99% @ 0.3 microns
- ✓ Muffler rated at 10,000 hrs with catalytic converter for low emissions
- ✓ LEHR Carburetor for low fuel consumption and low emissions
- ✓ Housing cover to encase and protect the motor
- ✓ High efficiency oil cooler
- ✓ EPA certified motor
- ✓ CARB (California Air Resources Board) certified motor
- ✓ Maintenance Schedule and Proper Use in manual and on our website



COMPATIBLE
WITH ALL OUR
PROPANE
GRINDERS!

Two-Stage Filters make this unit
fully Compliant with new 2018
OSHA Silicate Regulations!



SPECIFICATIONS

Motor (HP)	11
Input Power	Propane
Machine Weight	190 lbs
Water Lift (Inches)	125
Air Flow Capacity (CFM)	285
Primary Filter	Coated Sock Pre-Filter x 1
Secondary Filter	HEPA Filter 9 ft ² x 3
Includes	Longopac Insert x 1 Floor Tool Attachment x 1 Wand Attachment x 1 25' Long Hose w/ 2" Fitting x 1 1-Year Manufacturer's Warranty Filters (One of Each) x 2

Price: \$ 10495

ERMATOR T4000

The T4000 is one of the newest members of Ermator's T-line. The 230V, 3-phase motor provides 280CFM and 125" of water lift. This high water lift rating secures high suction power to small and mid-size, low-voltage concrete grinders, scarifiers, saws, and shot blasters. This machine features a large pre-filtration surface, long-lasting suction power, and an exceptionally low filter cost! Individually tested and certified HEPA filters provide a safe environment for the operator and other job site workers. Like all Ermator vacuums, the T4000 is equipped with the drop down disposal, Longopac® collection system, JetPulse filter cleaning, and a manometer!

COMPATIBLE
WITH THE
AVENGER 650
AND 750!



INDUSTRY
LEADER!

Two-Stage Filters make this unit
fully Compliant with new 2018
OSHA Silicate Regulations!



SPECIFICATIONS

Motor (HP)	5
Input Power	14.8 Amp, 220V Three-Phase
Machine Weight	181 lbs
Water Lift (Inches)	125
Air Flow Capacity (CFM)	280
Primary Filter	Conical Pre-Filter x 1
Secondary Filter	HEPA Filters 9 ft ² x 2
Includes	
Longopac Insert x 1	
Floor Tool Attachment x 1	
Wand Attachment x 1	
25' Long Hose w/ 2" Fitting x 1	
1-Year Manufacturer's Warranty	
Conical Pre-Filter x1 - & HEPA Filter x 2	

Price: \$ 6995

ERMATOR T7500

The T7500 (230V) is equipped with a quiet, yet powerful turbine motor delivering exceptional airflow at 353 CFM. It comes with two oversized, tested, and certified HEPA filters to ensure clean air exhaust. It includes the same sock-style pre-filters that have earned a reputation for providing nonstop grinding and a long service life to Ermator vacuums. The pre-filters can be cleaned from outside of the tank via Jet Pulse negative air pressure. The unique 70foot Longopac® allows fast, dropdown, dust-free disposal into individually sealed plastic bags. This unit comes with 3-inch, 33-foot grinder hose and complete floor tool kit including 2inch, 25 ft. hose, wand, and floor tool. Get the most out of your T7500 by connecting it the C5500 Pre-Separator!

**INDUSTRY
LEADER!**

Two-Stage Filters make this unit fully Compliant with new 2018 OSHA Silicate Regulations!



PERFECT WITH
THE AVENGER
750 OR 880!

SPECIFICATIONS

Motor (HP)	10.4
Input Power	24.2 Amp, 220V Three-Phase
Machine Weight	548 lbs
Water Lift (Inches)	110
Air Flow Capacity (CFM)	353
Primary Filter	Sock-Style Pre-Filter x 1
Secondary Filter	HEPA Filter 27 ft ² x 2
Includes	Longopac Insert x 1 Floor Tool Attachment x 1 Wand Attachment x 1 25' Long Hose w/ 2" Fitting x 1 1-Year Manufacturer's Warranty Sock Pre-Filter x 1 - & HEPA Filter x 2

Price: \$ 12495

ERMATOR T8600

The T8600 Three-Phase Dust Extractor has 20% more filter capacity than its predecessor, the model T7500. Don't be misled by its size, this unit is easy to transport to and from job sites. The T8600 is suitable for a wide selection of grinders. It's equipped with a Jet Pulse feature for effective filter cleaning and Longopac® dust free changing of bag and easy disposal of the machine's contents. A primary sock-style pre-filter provides long, uninterrupted service and can be cleaned efficiently from outside the tank with the Jet Pulse's air pressure. Equipped with 3, tested, and certified HEPA filters ensuring clean air exhaust during your operations. The unique 70-foot Longopac® allows fast, drop-down, dust-free disposal into approximately 25 to 30 individually sealed bags.



PERFECT WITH
THE AVENGER
880!

**INDUSTRY
LEADER!**

Two-Stage Filters make this unit
fully Compliant with new 2018
OSHA Silicate Regulations!



SPECIFICATIONS

Motor (HP)	11.9
Input Power	14 Amp, 480V Three-Phase
Machine Weight	439 lbs
Water Lift (Inches)	100
Air Flow Capacity (CFM)	353
Primary Filter	Sock-Style Pre-Filter x 1
Secondary Filter	HEPA Filter 27 ft ² x 2
Includes	Longopac Insert x 1 Floor Tool Attachment x 1 Wand Attachment x 1 25' Long Hose w/ 2" Fitting x 1 1-Year Manufacturer's Warranty Sock Pre-Filter x 1 - & HEPA Filter x 2

Price: \$ 11995

ERMATOR T8600P

With 18HP, 410 CFM and a 115" water lift the T8600 Propane is the strongest and safest propane vacuum on the market. With the continuing development of dry diamond tooling and equipment for cutting, coring, and grinding, collection of harmful dust is more and more important. Electrical power supply is hard to come by on many jobs so propane units are needed. Pullman Ermator makes the best direct drive with magnetic clutch system that puts all the power to the turbine. Dry cutting and grinding saves expensive disposal costs of wet slurry and water. It is also more productive and leaves job sites cleaner.

- JetPulse filter cleaning
- Cam lock hose connection
- Direct drive magnetic clutch
- O2 sensor
- Low oil pressure sensor
- Certified HEPA filtration to 99.99% @ 0.3 microns
- LEHR Carburetor for low fuel consumption. Muffler rated at 10,000 hrs with catalytic converter for low emissions!
- Housing cover to encase and protect the motor
- High efficiency oil cooler
- EPA certified motor

Two-Stage Filters make this unit fully Compliant with new 2018 OSHA Silicate Regulations!



PERFECT WITH
THE AVENGER
750 AND 880!

SPECIFICATIONS

Motor (HP)	18
Input Power	Propane
Machine Weight	530 lbs
Water Lift (Inches)	115
Air Flow Capacity (CFM)	410
Primary Filter	Sock-Style Pre-Filter x 1
Secondary Filter	HEPA Filter 27 ft ² x 2
Includes	
Longopac Insert x 1	
Floor Tool Attachment x 1	
Wand Attachment x 1	
25' Long Hose w/ 2" Fitting x 1	
1-Year Manufacturer's Warranty	
Sock Pre-Filter x 1 - & HEPA Filter x 2	

Price: \$ 14495

ERMATOR T15000

This is the most powerful 220V HEPA Dust Extractor on the market today. The greatly expanded pre-filter surface area acts as a built-in pre-separator, providing superior cyclonic separation for long, uninterrupted service periods! The T15000 produces plenty of airflow, enough to handle up to two Avenger 880s! Clean air exhaust is guaranteed through the four individually tested and certified HEPA filters. The intake port connects to a Y-connector where one or two 3" hoses can be connected. When only one hose is connected, up to 100 feet in length can be used! The outtake port allows venting of the exhaust air away from the work area or even outside of the building via a hose connection. The Jet Pulse efficiently cleans the pre-filter without exposing the operator to dust. The "Longopac" system allows fast, dropdown, dust-free disposal. This unit also comes with a 3", 33' hose, and a single 4" to double 3" Y connector. When used with two Avenger 880s, to achieve best results, a pre-separator should be connected between each machine and the T15000.



SPECIFICATIONS

Motor (HP)	16
Input Power	42 Amp, 220V Three-Phase
Machine Weight	905 lbs
Water Lift (Inches)	140
Air Flow Capacity (CFM)	647
Primary Filter	Sock-Style Pre-Filter x 1
Secondary Filter	HEPA Filter 27 ft ² x 4
Includes	
Longopac Insert x 1	
Floor Tool Attachment x 1	
Wand Attachment x 1	
25' Long Hose w/ 2" Fitting x 1	
1-Year Manufacturer's Warranty	
Sock Pre-Filter x 1 & HEPA Filter x 2	

Two-Stage Filters
make this unit fully
Compliant with new
2018 OSHA Silicate
Regulations!



Price: \$ 17795

NILFISK

S SERIES

The S Series is designed to meet a wide range of industrial cleaning challenges. Available in a variety of configurations, these vacuums feature solid construction with many innovations, such as a membrane switch keypad with LED indicators that monitor filter performance.

T SERIES

The T Series offers continuous-duty industrial vacuum cleaners with strong performance at an affordable price. Ideal for collection of powders, liquids, dust and debris, the vacuums are easy to use and maintain, even in the most challenging environments.



NILFISK S3

Available in a variety of configurations, the S3 single-phase industrial vacuum cleaner features solid construction and cutting-edge innovations like an electronic keypad with LED indicators to monitor performance of the main and HEPA filters. The S3 is available with 50 or 100 liter collection capacities and can be equipped with many different features including, liquid or level sensors for automatic shut-off and the Longopac collection system, a continuous bag that can be filled, cut, disposed, and immediately restored for a new use. The S3 can also be retrofitted with a tool caddy to organize valuable accessories in order to meet Six Sigma, 5S or other internal operation requirements.



COMPATIBLE
WITH AVENGER
460 AND 550!

SPECIFICATIONS

Power (HP)	3.22
Input	110V, 15.8 Amps
Machine Weight	157 lbs
Water Lift (Inches)	100
Air Flow Capacity (CFM)	300
Primary Filter	Anti-Static Main Filter x 1
Secondary Filter	HEPA Cartridge Filter x 1
Includes	
Longopac Insert x 1	
Floor Tool Attachment x 1	
Wand Attachment x 1	
25' Long Hose w/ 2" Fitting x 1	
Filters (One of Each Type) x 2	

Price: \$ 4195

NILFISK T48

Ideal for collection of powders, liquids, dust and debris, the vacuums are easy to use and maintain – even in the most challenging environments. Lightweight and highly maneuverable, the T Series vacuums feature rear swiveling wheels with locking brakes. A unique release lever lowers the wheeled collection container and acts as a handle for fast and easy disposal of collected debris. An optional HEPA filter ensures that 99.995% of particles are retained, down to and including 0.18 microns in size – exceeding HEPA filter standards. The T series machines come standard with a manual filter shaker that quickly removes caked-on dust from the filter's surface, maintaining the vacuum's maximum suction power and improving productivity. For safe collection and easy disposal, the T Series vacuums are available with a dust bag, safe bag, or Longopac collection system, which allows for the collection of material in an "endless" bag that can be filled with the desired quantity, cut, sealed, disposed and immediately restored for a new use.



Two-Stage Filters
make this unit fully
compliant with new
2018 OSHA Silicate
Regulations!



SPECIFICATIONS

Power (HP)	6.43
Input	25 Amp, 220V Three-Phase
Machine Weight	181 lbs
Water Lift (Inches)	140.5
Air Flow Capacity (CFM)	300
Primary Filter	Conical Pre-Filter x 1
Secondary Filter	HEPA Cartridge Filter x 1
Includes	Longopac Insert x 5 Floor Tool Attachment x 1 Wand Attachment x 1 25' Long Hose w/ 2" Fitting x 1 Filters (One of Each Type) x 2

Price: \$ 10495

NILFISK 3997

Designed for heavy-duty continuous use, the 3997 vacuums feature a three-phase regenerative blower, oversized filter area and large collection capacity to guarantee long periods of uninterrupted operation. A control panel features an on/off switch, manometer and automatic phase correction device to make the 3997 reliable and easy-to-use.



Two-Stage Filters
make this unit fully
Compliant with new
2018 OSHA Silicate
Regulations!



SPECIFICATIONS

Power (HP)	30.8
Input	42 Amp, 480V Three-Phase
Machine Weight	1438 lbs
Water Lift (Inches)	184
Air Flow Capacity (CFM)	830
Primary Filter	Sock-Style Pre-Filter x 1
Secondary Filter	HEPA Cartridge Filter x 1
Includes	
	Longopac Insert x 1
	Floor Tool Attachment x 1
	Wand Attachment x 1
	25' Long Hose w/ 2" Fitting x 1

Price: \$ 19495

VACUUM FILTERS AND ACCESSORIES

For any accessories or parts not listed in the catalog (such as hose-splitters etc) please check our website for part numbers and call a Levetec representative directly for assistance. We'll always help you find what you're looking for!

The following items are featured items that are listed in this catalog because of their popularity. We offer the best prices in the entire US market for these particular items!



PULLMAN-ERMATOR

Conical Pre-Filters for S-Line Dust Extractors

Product Code	Description	Unit Price
--------------	-------------	------------

201000016	Conical Pre-Filter for S13	\$130
-----------	--------------------------------------	--------------

200900050	Conical Pre Filter for S26	\$170
-----------	--------------------------------------	--------------

200900051	Conical Pre Filter for S36 and T4000	\$210
-----------	---	--------------



PULLMAN-ERMATOR

Collection Bags and HEPA Filters

Product Code	Description	Unit Price
--------------	-------------	------------

200700070	HEPA Filter (9 Sqft) For S-Line and some T-Line Vacs	\$85
-----------	--	------

200600595A	HEPA Filter (27 SqFt) For T-Line	\$220
------------	-------------------------------------	-------

1376013	Longopac 4-Count Box (These will work with any vacuum with a Longopac attachment, regardless of brand!)	\$115
---------	--	-------



PULLMAN-ERMATOR

Sock Filters for Larger Models

Product Code	Description	Unit Price
200600596	Filter Sock Assembly for T7500 and T8600	\$975
200700231	Filter Sock Assembly for T15000 and T18000	\$1065

NOTE: The sock filters have limited stock. Please call us to check on availability and lead time for these items!

Floor Tool Replacement Kit includes:

- ✓ 2" Hose Assembly (25 ft. long)
- ✓ 2-Piece Wand (2 in. x 5 in.)
- ✓ Floor Tool (2 in. x 14.5 in.)

PRICE: \$285*

*Larger sizes may cost more!



NILFISK

Main Filters for the Nilfisk machines in our catalog!

Product Code	Description	Unit Price
--------------	-------------	------------

4081700935	Main Cartridge Filter - Large HEPA Filter Disc for the 3SL/5SL, S3, T48, T63	\$395
------------	--	-------



8-17080/1	Main Filter, Polyester for 3SL/5SL, S3, T48, and T63	\$445
-----------	--	-------



	Floor Tool Replacement Kit - Specify Dimensions to your sales Rep!	\$325
--	--	-------



PERFECT BUSINESS PACKAGES



THE ELITE EDGE PACKAGE

There is no corner or edge that this package can't handle! This the perfect flourish to add to any other package but add a dust extractor, and this becomes a startup flooring kit!

THIS PACKAGE INCLUDES:

- The *Avenger 250 - 10" Variable Speed Edger*
Grind/Polish Edges with just one machine! (includes 3 Velcro Adapters for polishing pads)

- *Diacrete Trapezoid Grinding Pads:*
Double-Bar Segments (Bond of your Choice):

- ✓ 9-Piece Set of 30/40 Grit x 3
- ✓ 9-Piece Set of 60/80 Grit x 2

- Variable Speed Oscillating *Corner Tool Kit:*

- ✓ Corner Tool (With Attachments)
- ✓ Diamond Pads (Adapter Included):

- Electroplated:

- 60 Grit Pad x 1
- 120 Grit Pad x 1
- 200 Grit Pad x 1
- 400 Grit Pad x 1

- Resin-Bonded:

- 800 Grit Pad x 1
- 1500 Grit Pad x 1
- 3000 Grit Pad x 1

- The *Levetec Voltage Cleaver* - An easy to use gadget which combines two 110V legs to form one 220V, Single-Phase, 20 Amp Outlet at virtually any jobsite!

- *100Ft SODW Extension Cord* - Ultra Malleable, Neoprene-Line, *Non-Marking*, Heavy Duty, Water Resistant, w/ Plugs.

**FREE
SHIPPING!**

Price: **\$5495**

THE JOURNEYMAN AVENGER PACKAGE

Whether you're a pro expanding your business or just starting out, this is simply the best bang-for-buck for anyone in the Surface Preparation Industry.

THIS PACKAGE INCLUDES:

- The **Avenger 550** Three Head, True Planetary, Grinder/Polisher Unit (includes 9 Velcro Adapters)
- The **Ermator S26** 110V HEPA Dust Extractor, includes:
 - ✓ 1 Hose
 - ✓ 1 Wand
 - ✓ 1 Conical Pre Filter
 - ✓ 2 HEPA Filters
 - ✓ 25 ft Power Cord + Plug
 - ✓ 1 Longopac Bag + **Bonus 4-Count Box**
- **Diacrete Trapezoid Grinding Pads:**
Double-Bar Segments (Bond of your Choice):
 - ✓ 9-Piece Set of 30/40 Grit
 - ✓ 9-Piece Set of 60/80 Grit
- **Diacrete Ultras - Hybrid Transitional Pads**
 - ✓ 9-Piece Set of 100 Grit
 - ✓ 9-Piece Set of 200 Grit
- **Diacrete Premiums - Resin Polishing Pads**
 - ✓ 9-Piece Set of 400 Grit
 - ✓ 9-Piece Set of 800 Grit
- 5-Gallon **Premium Concrete Densifier** (Sodium Silicate)
- **100Ft SDDW Extension Cord** - Ultra Malleable, Neoprene-Lined, **Non-Marking**, Heavy Duty, Water Resistant, w/ Plugs.
- M6 Cap Screws (Heavy Duty) - 100 Ct. Box
For use with trapezoid pads to slide easily into the M6 sockets on our magnetic plates. 3 screws are needed for each pad. These *screws are easily reusable!*

**FREE
SHIPPING!**

Price: **\$13995**

THE PRO PREP PACKAGE

This package is perfect for business owners who focus primarily on coatings-based flooring projects in residential and small commercial settings. (i.e. Epoxy Professionals)

THIS PACKAGE INCLUDES:

- The **Avenger 460** Three Head, True Planetary, Grinder/Polisher Unit (includes 9 Velcro Adapters)
- The **Ermator S26** HEPA Dust Extractor, unit includes:

- ✓ 1 Hose
- ✓ 1 Wand
- ✓ 1 Conical Pre Filter
- ✓ 2 HEPA Filters
- ✓ 25 ft Power Cord + Plug
- ✓ 1 Longopac Bag + **Bonus 4-Count Box**

- **Multipurpose Coatings Removal/Diamond Tooling:**

- ✓ 9-Piece Set of DCTs →

- **Discrete Trapezoid Grinding Pads:**

Double-Bar Segments (Bond of your Choice):

- ✓ 9-Piece Set of 30/40 Grit x 3

- **100Ft SDDW Extension Cord** - Ultra Malleable, Neoprene-Line, **Non-Marking**, Heavy Duty, Water Resistant, w/ Plugs.

- **M6 Cap Screws (Heavy Duty) - 100 Ct. Box**
For use with trapezoid pads to slide easily into the M6 sockets on our magnetic plates. 3 screws are needed for each pad. These *screws are easily reusable!*

Price: **\$12250**

FREE SHIPPING!



THE MASTER AVENGER PACKAGE

Everything you need to achieve flawless, professional level floors at virtually any size jobsite. This package covers all major flooring needs just short of the coatings themselves!

THIS PACKAGE INCLUDES:

- The **Avenger 650** Three Head, True Planetary, Grinder/Polisher Unit (includes 9 Velcro Adapters)
- The **Ermator S36** HEPA Dust Extractor, unit includes:
 - ✓ 1 Hose
 - ✓ 1 Wand
 - ✓ 1 Conical Pre Filter
 - ✓ 2 HEPA Filters
 - ✓ 25 ft Power Cord + Plug
 - ✓ 1 Longopac Bag + **Bonus 4-Count Box**
- **Multipurpose Coatings Removal/Diamond Tooling:**
 - ✓ 9-Piece Set of **DCTs** →
- **Diacrete Trapezoid Grinding Pads:**
 - ✓ 9-Piece Set of 30/40 Grit
 - ✓ 9-Piece Set of 60/80 Grit
- **Double-Bar Segments (Bond of your Choice):**
 - ✓ 9-Piece Set of 30/40 Grit
 - ✓ 9-Piece Set of 60/80 Grit
- **Diacrete Semi-Metal Hybrid Transitional Pads**
 - ✓ 9-Piece Set of 100 Grit
 - ✓ 9-Piece Set of 200 Grit
- **Diacrete Premium Resin Bonded Polishing Pads**
 - ✓ 9-Piece Set of 400 Grit
 - ✓ 9-Piece Set of 800 Grit
 - ✓ 9-Piece Set of 1500 Grit
- 5-Gallon **Premium Concrete Densifier** (Lithium Silicate)
- **100Ft SDOW Extension Cord x 2**- Ultra Malleable, Neoprene-Line, **Non-Marking**, Heavy Duty, Water Resistant w/ Plugs.
- M6 Cap Screws (Heavy Duty) - 100 Ct. Box
For use with trapezoid pads to slide easily into the M6 sockets on our magnetic plates. 3 screws are needed for each pad. These *screws are easily reusable!*

FREE SHIPPING!

Price: **\$19995**

THE AVENGER ULTIMATE PACKAGE

Large enough for industrial-level jobs, yet small enough to get through an office door; this package is designed for fearless professionals who never turn down a job!

THIS PACKAGE INCLUDES:

- The **Avenger 750** Three Head, True Planetary, Grinder/Polisher Unit (includes 9 Velcro Adapters)
- The **Ermatör T4000** HEPA Dust Extractor:
 - ✓ 1 Hose
 - ✓ 1 Wand
 - ✓ 1 Conical Pre Filter
 - ✓ 2 HEPA Filters
 - ✓ 25 ft Power Cord + Plug
 - ✓ 1 Longopac Bag + **Bonus 4-Count Box**
- **Multipurpose Coatings Removal/Diamond Tooling:**
 - ✓ 9-Piece Set of **DCTs** → 
- **Discrete Trapezoid Grinding Pads:** 
 - Double-Bar Segments (Bond of your Choice):
 - ✓ 9-Piece Set of 30/40 Grit 
 - ✓ 9-Piece Set of 60/80 Grit 
- **Discrete Semi-Metal Hybrid Transitional Pads**
 - ✓ 9-Piece Set of 100 Grit 
 - ✓ 9-Piece Set of 200 Grit
- **Discrete Premium Resin Bonded Polishing Pads**
 - ✓ 9-Piece Set of 400 Grit
 - ✓ 9-Piece Set of 800 Grit
 - ✓ 9-Piece Set of 1500 Grit
 - ✓ 9-Piece Set of 3000 Grit
- 5-Gallon **Premium Concrete Densifier** (Lithium Silicate)
- **100Ft SDDW Extension Cord x 2**- Ultra Malleable, Neoprene-Line, **Non-Marking**, Heavy Duty, Water Resistant w/ Plugs.
- M6 Cap Screws (Heavy Duty) - 100 Ct. Box
For use with trapezoid pads to slide easily into the M6 sockets on our magnetic plates. 3 screws are needed for each pad. These *screws are easily reusable!*

**FREE
SHIPPING!**



Price: **\$25495**

THE KING PROPANE PACKAGE

No Cords, no problem! This is the perfect package whether you prefer to go cordless or if you need something to deal primarily with outdoor flooring projects.

THIS PACKAGE INCLUDES:

- The **UltraGrind - 30 Inch**, Three-Head, True Planetary, Grinder/Polisher Unit (includes 12 Velcro Adapters for Polishing Pads)
- The **Ermator S36P** HEPA Dust Extractor, unit includes:
 - ✓ 1 Hose
 - ✓ 1 Wand
 - ✓ 1 Conical Pre Filter
 - ✓ 2 HEPA Filters
 - ✓ 1 Longopac Bag + **Bonus 4-Count Box**
- **Multipurpose Coatings Removal/Diamond Tooling:**
 - ✓ 12-Piece Set of **DCTs** → 
- **Diacrete Trapezoid Grinding Pads:**  Double-Bar Segments (Bond of your Choice):
 - ✓ 12-Piece Set of 30/40 Grit 
 - ✓ 12-Piece Set of 60/80 Grit 
- **Diacrete Semi-Metal Hybrid Transitional Pads**
 - ✓ 12-Piece Set of 100 Grit 
 - ✓ 12-Piece Set of 200 Grit 
- **Diacrete Premium Resin Bonded Polishing Pads**
 - ✓ 12-Piece Set of 400 Grit 
 - ✓ 12-Piece Set of 800 Grit 
- M6 Cap Screws (Heavy Duty) - 100 Ct. Box
For use with trapezoid pads to slide easily into the M6 sockets on our magnetic plates. 3 screws are needed for each pad. These *screws are easily reusable!*

NOTE: Battery and Propane Tank Are Not Included for Safety and Legal Concerns!

Price: **\$29995**



THE XL AVENGER PACKAGE

The biggest and baddest package we offer! This set up will make light work of any industrial size flooring projects! Custom expansions and additions are allowed, give us a call today!

THIS PACKAGE INCLUDES:

- The **Avenger 880** Three Head, True Planetary, Grinder/Polisher 480V Unit (includes 9 Velcro Adapters)
- The **Ermator T8600** HEPA Dust Extractor (480V), includes:
 - ✓ 1 Hose
 - ✓ 1 Wand
 - ✓ 1 Conical Pre Filter
 - ✓ 2 HEPA Filters
 - ✓ 25 ft Power Cord + Plug
 - ✓ 1 Longopac Bag + **Bonus 4-Count Box**

- **Multipurpose Coatings Removal/Diamond Tooling:**

- ✓ 9-Piece Set of **DCTs** →

- **Diacrete Trapezoid Grinding Pads:**

Double-Bar Segments (Bond of your Choice):

- ✓ 9-Piece Set of 30/40 Grit
- ✓ 9-Piece Set of 60/80 Grit
- ✓ 9-Piece Set of 120/150 Grit

- **Diacrete Semi-Metal Hybrid Transitional Pads**

- ✓ 9-Piece Set of 100 Grit
- ✓ 9-Piece Set of 200 Grit

- **Diacrete Premium Resin Bonded Polishing Pads**

- ✓ 9-Piece Set of 400 Grit
- ✓ 9-Piece Set of 800 Grit

- **5-Gallon Concrete Densifier Concentrate (Lithium Silicate)**

- **100Ft SDDW Extension Cord x 2**- Ultra Malleable, Neoprene-Line, **Non-Marking**, Heavy Duty, Water Resistant w/ Plugs.

- **M6 Cap Screws (Heavy Duty) - 100 Ct. Box**
For use with trapezoid pads to slide easily into the M6 sockets on our magnetic plates. 3 screws are needed for each pad. These *screws are easily reusable!*

FREE SHIPPING!

Price: **\$32995**

DENSIFIERS, COLORS, AND OTHER CHEMICALS



AMERIPOLISH® COLOR CHART

CLASSIC / SURELOCK / DYE-N-SEAL



We offer the 24 most common color choices seen in floors today. Custom colors are available upon request. The colors listed are *only* a representation of the Ameripolish® Concrete Dyes. Change in concrete slab colors will affect the appearance of the dye. Color results cannot be guaranteed. Actual colors may vary. We carry all Ameripolish® products; just give us a call and we'll find the right one for you!

FEATURED AMERIPOLISH® PRODUCTS

Dye-N-Seal™ is a translucent dye, designed to **penetrate and color any cementitious surface**. Dye-N-Seal dries quickly, reducing installation time and construction costs. In most cases, cleanup and sealing can be done in the same day. It is ideal for polished concrete and it can be used as a base color for Blush-Tone Acid Stain™ to **achieve dramatic results**. Dye-N-Seal penetrates the surface of newly cured or existing concrete, creating a layer of translucent color that **dries quickly and will not chip, crack, or peel**. The colors produced in each section of concrete will be unique with captivating, multi-colored intensities that become a permanent part of the concrete. Colors can be combined to **create an unlimited number of color variations**. When applied properly, Dye-N-Seal **creates intense color** that has a look similar to the mottling effect of acid stain. Dye-N-Seal is packaged in powdered form to be mixed in proportion to acetone. Dye-N-Seal is durable enough for commercial applications like restaurants, showrooms and retail spaces. It can be **used to create vivid, new color for interior floors or concrete countertops**. Dye-N-Seal can also be used to correct areas where acid stains have little or no reaction on the concrete surface. Dye-N-Seal is excellent in vertical applications, stencils, and logos because it dries so quickly. In addition; after 28 days, the concrete should be sealed with Leve-Gard Sealer for protection.

The **SureLock Polished Concrete Color System** puts rich color into the slab, penetrating, hardening and protecting the color from the damaging effects of excessive moisture on and in the concrete. UV stabilizers in every step help **protect against fading**. SureLock **keeps defending the surface every day** against stains, oils, and even etching agents like vinegar. We've formulated the chemistries of **dyeing and densifying so they work together**, bonding the dye to the concrete and penetrating deeper to help stabilize and protect color from getting a faded desaturated look.

Penetrating Agent enables the user to control acetone flash. This product delays from 7-8 seconds to 30 seconds or longer. This generally provides the necessary window of time for the dyes to penetrate. Additionally the penetrating agent, in many cases, will provide the opportunity to add color to floors which have already been densified and polished. This product extends the drying time of solvent based dyes and is extremely easy to use. Just add 1 to 4 ounces to a pre-mixed gallon of dye and go for it! This product can be applied to most cementitious surfaces and is conveniently packaged in 30 oz. bottles which are easy to ship and to store!



ONLY
\$59 EACH



LEVE-SIL™ PREMIUM DENSIFIERS

Leve-Sil™ Hardener uses **cutting-edge silicate chemistry** to make the best concrete densifier available today. Concrete is often exposed to harsh chemical, mechanical, and atmospheric elements that can cause the concrete to deteriorate. Leve-Sil penetrates into the substrate where it reacts with weak calcium hydroxide to form a **much stronger and more stable** tricalcium silicate hydrate. This leaves floors looking **incredibly shiny and keeps them that way** for longer!

Sodium Silicate based hardeners are the most common application to densify concrete, very economical.

Lithium Silicate based hardeners are designed for much harder concrete. These mixtures can be applied at higher stages of the grinding and polishing process. They can also be used as a second coat in conjunction to Leve-Sil Sodium to increase penetration.

*** DENSIFIER OPTIONS & PRICING CAN BE FOUND ON THE NEXT TWO PAGES ***

Leve-Gard™

This is a high performance lithium-silica and polymer penetrant solution for concrete and masonry. This product is solvent-free and is ready-to-use!

This product is used to enhance all concrete surfaces. Leve-Gard is ideal for stamped, colored, or stained concrete. This solution can be applied to all hardened concrete, silicates, siliconates, or even dry shakes. When used properly, Leve-Gard will restore shine, hardness, stain resistance, and even improve the ease of maintenance on new or existing concrete surfaces. Excellent results can be achieved on older, worn substrates as well. The surface must be clean and dry before applying Leve-Gard.

Maintenance: Keep surface clean with an automatic scrubber or wet-mop. Use a neutral cleaner with a dry buff using a high-speed hog's hair pad to enhance gloss. Check out our Spinor Maintenance Pads on Page 56!

Pricing:

1 Gallon Bucket = **\$90**



5 Gallon Bucket = **\$390**



SODIUM SILICATE

DENSIFIER OPTIONS

Penetrating Solution - Lower Concentration allows the user to get into pores on the floor during early stages of polishing.

Pricing:

1 Gallon Bucket = **\$25**

5 Gallon Bucket = **\$95**

Pro Sealer - Higher Concentration allows the user to achieve a more topical and durable coating, effective during the late stages of polishing!

Pricing:

1 Gallon Bucket = **\$35**

5 Gallon Bucket = **\$159**

Concentrate - allows the user to dilute as needed for any jobsite. This option gives total control to the user as to how they want to finish their floors.

Pricing:

1 Gallon Bucket = **\$59**

5 Gallon Bucket = **\$199**



LITHIUM SILICATE

DENSIFIER OPTIONS

Penetrating Solution - Lower Concentration allows the user to get into pores on the floor during early stages of polishing.

Pricing:

1 Gallon Bucket = \$45

5 Gallon Bucket = \$155

Pro Sealer - Higher Concentration allows the user to achieve a more topical and durable coating, effective during the late stages of polishing!

Pricing:

1 Gallon Bucket = \$55

5 Gallon Bucket = \$209

Concentrate - allows the user to dilute as needed for any jobsite. This option gives total control to the user as to how they want to finish their floors.

Pricing:

1 Gallon Bucket = \$75

5 Gallon Bucket = \$309



LEVETEC'S ELECTRICAL ACCESSORIES



POWER CORDS

VARIOUS OPTIONS

These power cords are constructed with **special, vulcanized, rubber insulation** within an overall jacket. These cables are protected by neoprene; rated for both indoor/outdoor uses and are non-marking. They are **water resistant, oil resistant, sunlight (UV) resistant** and remain flexible in temperatures well below freezing. They are rated by UL at -40°F on their cold bend tests. All conductors are constructed with **100% electrolytic copper** which is bunch stranded for maximum flexibility under a full load!

Pricing By The Foot:

- 10 Gauge, 3 Conductors = \$3.69
- 8 Gauge, 3 Conductors = \$4.59

Pricing By The Foot:

- 10 Gauge, 4 Conductors = \$3.79
- 8 Gauge, 4 Conductors = \$4.69

Complete Cord Package:

Includes your choice of male/female plugs, 100 feet of cord, and a 5 foot pigtail for hard wiring into generators and panel boxes.

Pricing:

10/3 Cord Pkg = \$370
 10/4 Cord Pkg = \$380
 8/3 Cord Pkg = \$460
 8/4 Cord Pkg = \$470



TRANSFORMERS

MOBILE UNITS

The **Voltage Cleaver** is used to tie two 110 Volt legs together to produce 220 Volt Single Phase outlet for machines like our Avenger 460 and 550. It very easy to use; an indicator light will show when 220V power is ready for use! Only **\$325 each!**

3-Phase 220 Volt **step up** to 3-Phase 480 Volt power. This transformer has a 10 foot pigtail for 3-Phase 208 Volt input, and another 10 foot 480 Volt output pigtail with a 50 AMP 3-Phase connector.

Pricing:

As low as \$3000 for gently used units.
Up to \$20000 for brand new units.

Call us to discuss details and confirm technical specifications for your needs!

3-Phase 480 Volt **step down** to 3-Phase 220 Volt power. This transformer has a 10 foot pigtail for 3-Phase 460 Volt input, and another 10 foot 220 Volt output pigtail with a 50 AMP 3-Phase connector.



PART NUMBERS GLOSSARY

We apologize for the inconvenience, but this section will be added soon! For best processing times and order accuracy, all customers are advised to contact a Levetec Sales Rep directly until our Part Numbers Glossary is completed.

We look forward to doing business with you!

**Take your surface prep business to the next level.
Call us TODAY and join the Levetec Revolution!**

We are open weekdays, from 7AM to 4:30PM, Pacific Standard Time.

You can reach us for tech support, sales, and general questions at **(425) 629-8200**

We are always there for our customers. All other information is available at
www.levetec.com



Mailing Address:

20245 N.E. Redmond-Fall City Road
Redmond, WA 98053 U.S.A.

Retail Address:

7102 180th Avenue NE, Suite A-107
Redmond, WA 98052 U.S.A.

Main Office: (425) 629-8200

Toll-Free: (866) 538-3832